


www.PegasusTech.net

KP12 Self Payment Kiosk

A Better user experience And a Smoother Payment Process.

Kiosk Overview

Pegasus Payment Kiosk involves developing a system that allows users to make payments independently without the assistance of a cashier. These kiosks can be used in various settings such as Retail stores, Restaurants, Parking lots, Hospitals, and Libraries.



mkt@PegasusTech.net

KP12 Self Payment Kiosk



| No. | Components | Model | Details | | Picture | |
|-----|--|---------|---------------------|--|---------|--|
| | Display 21.5-inch, 1920*1080 TFT LCD | KP12 | Screen Diagonal | 21.5-inch | - | |
| | | | White Luminance | 350cd/m2 | | |
| | | | Contast Ratio | 1000:1(type) | | |
| 1 | | | Response time | 5msec | | |
| | | | Resolution | 1280 (RGB)×1024 | | |
| | | | Working temperature | "0 - 65°C | | |
| | | | Compliance | RoHs compliance & TCO compliance | | |
| | Industrial PC System | KP12-PC | CPU | 15/17 | | |
| | | | RAM | 4GB/8GB | | |
| 2 | | | SSD | 128GB/256GB/512GB | | |
| | | | Interface | 2*USB3.0 port , 2*USB2.0 port (LAN2 port optional) , 1*VGA port , 1*HDMI port (used with EDP2) , 1*LAN1 NIC port, 1*DC port , 1*MIC-IN port , 1*LINE-OUT port, 1*CLR_CMOS button | | |
| | | | Operation System | Windows 10 or Linux, 64 bit professional Operation System for test (without license) | | |
| | | | PC power supply | Huntkey | | |
| 3 | Label Printer | КРМ180Н | Printing method | Thermal with fixed head | | |
| | | | Print width | 80mm | 10 m | |
| | | | Print length | 20-82.5mm | | |
| | | | Emulation | CUSTOM/POS, SVELTA | | |
| | | | Interface | RS232 / USB / Ethernet | | |

KP12 Self Payment Kiosk



| | | | Symbology supported | DataMatrixandGS1-DataBarTM(RSS) | | |
|---|-------------------------------|--|--|---------------------------------|------|--|
| 4 | QR reader | PS567F | QRCode | QR1,QR2,MicroQR | L-1/ | |
| | | | Interfaces | USB | | |
| | | | Resolution | 1920*1080 | | |
| 5 | Web Camera | KP12 | Pixel | 200W+500W | | |
| | | | Interface | USB 2.0 | | |
| 6 | Amplifier and stereo speakers | OP-100 Dual channel amplified speakers for Stereo, 8Ω 5W. | | | | |
| 7 | Accessories | Power adaptors, security Lock for Anti-theft , tray for easy maintenance, ventilation fans, Wire-LAN Port; Power sockets for electricity, USB ports; Cables, Screws, etc | | | | |
| | | | Dimension | decided when finish production | | |
| | | | Color & Logo | Optional by customer | | |
| 8 | KIOSK Cabinet | AS-5231 | Material 1.5mm thickness cold-roll steel frame for outer kiosk boby; Electrostatic Painting high corrosion resistance and low conductivity | | | |

| Brand | Pegasus |
|----------------|--|
| Product Name | Hotel Self check - in service Terminal |
| Touch screen | 10-Point Capacitive Touch |
| Supported OS | Windows or android |
| Application | Government, Hospital, Hotel |
| Power supply | 110-120, 220V-240V or optional |
| Optional parts | QR Code, A4 Printer, Electric Reader card, Camera, iC card |
| Product type | Intelligent self-service equipment |



www.PegasusTech.net

mkt@PegasusTech.net

Specifications subject to change without notice ©2024 Pegasus