

All in One Mobility Solution Pegasus PPT-5500

With its humanized industrial design and Windows Embedded CE 6.0 OS, PPT-5500 is the ideal product to provide the real-time data collection and built-in printer for customers in different industries at any time.



RFID LF/HF
Finger Reader
Thermal Printer
WIFI/GSM/BT/GPS
Supports 1/2D barcode scanning

Applications :

Van Sales
Traffic Police Penalty
Checking System for Government
Logistics & Express Delivery
Parking System
Mobile POS

Pegasus



Map For Pegasus Kuwait



Contact Us:

Europe, Middle East & Africa:

Kuwait

Pegasus International Co.
Tel: +965 22479255, Fax: +965 22458435
Mob: +965 99534388, +965 66961877
Ahmed Al Jaber st., Al Madina Tower
3rd Floor, Kuwait City, Kuwait
P.O.Box: 12459 Shamiya 71655 Kuwait
Email: mkt@pegasustech.net

Dubai

Pegasus Computer Trading Co.L.L.C
Tel: +971 4 3266366, Fax: +971 4 3266633
Mob: +971 508447624
Souk Al-Kabir, Khalid Bin Walid Rd.,
Computer Street Road, Opp: Ascot Hotel
6th Floor, off:606, Bur Dubai - Dubai
P.O.Box: 90701 Dubai, UAE
Email: mkt@pegasustech.net

Asia and the Pacific:

India

Pegasus Technologies
Tel: +91 9413174950, +91 8824049950
263, Saheli Nager, Udaipur (Raj.) INDIA
Email: mkt@pegasustech.net

Pegasus is Ideal for any Business Using Barcode & RFID Technologies

2014



Pegasus has been pioneer in the Barcode industry, offering the World's largest selection of Barcode Scanning products, Services and Solutions. We partner with all of the major manufacturers such as Motorola, Zebra, Honeywell, Epson and many more...

- POS & Peripherals
- Barcode Solutions
- ID Card Solutions
- Mobile/PDA Application Solutions
- POS, Inventory, Accounting System
- RFID Solution
- Security Solutions(Time Attendance & Access Control)

Pegasus fine infrastructure enable us to deliver superior and high quality products along with total support and services. We believe in offering the best of our Customer.



Pegasus POINT-OF-SALE SYSTEMS



Pegasus E-POS Power POS
CPU: intel Dualcore 2.35GHz
Memory: 2GB DDR2 RAM
Touch: 1X15" Fujitsu Resistive Touch
2Sata-80: 2.5" SATA HDD 80GB
MCR: 1XMCR Track1/2/3, pre-installed



Pegasus Petra Smart
Petra Smart is a fan-less, Aluminum POS Terminal with Intel Atom D525 1.8 Ghz Dual-core Processor.
Touch:5-wire Resistive Touch.
1 X 2.5" SATA HDD storage device



Pegasus Leo-1500
15 inch 5 wire resistive water-proof touch screen ; fan-less CPU- Celeron 1037U, Support HDD and SSD, Multi-card reader and BIO scanner Function.



Pegasus POINT-OF-SALE SYSTEMS



Pegasus Leo - 900
All in one touch screen POS.
1.9.7inch touch screen 2.Fan-less Intel Atom N2600 dual core 1.6G 3.DDRIII 2G 4.SSD 64GB 5.with I-BUTTON and multi card reader



Pegasus RPOS-5000 :
RPOS Terminal with core i5 & i7 with 8GB RAM, Piano gloss finish, comes in white black & red. LCD Touch screen 5 wire Resistive. Memory HDD 1 x 2.5" SATA Bay for HDD



Pegasus Rugged Tablet PC
Intel Dualcore i3/i5/i7 processor, 2.1 Ghz 1 GB Standard, Maximum 4 GB. 5 wire Resistive Touch Scree. Compact Flash : CF Socket onboard.



Pegasus POS HARDWARE



Pegasus KB-67/ KB-78 / KB-112 Programmable Keyboard
With 66/78/112 Cherry MX keys based on Gold Crosspoint technology, and have tactile feeling. Different relegendable keycaps (1-fold, 2 fold, 4 fold) are available. 6 steps Keylock, Life cycles: >25,000, Card swipe speed: 10 to 100 cm/s, KB-67 with smart card reader



Pegasus 3 Tracks Mini Magnetic Card Reader
three track magnetic card reader with serial output. This reader takes power from the serial port and outputs a 9600bps 8N1 ASCII serial stream. Interface:PS/2, RS-232 or USB available.300,000 passes head (1,000,000 passes head available)



Pegasus Cash Drawer
Heavy duty Metal drawer with key lock. Spring loaded bill chip & detachable coin tray. Tray : 4/6Bill, 8 coin, Slip slot : 1 Material : Steel Body, Tray: ABS plastic, Clip: Metal, Interface: RJ-11, 24V(standard) Color: Black, Ivory/Black, Interface: RJ11

MOTOROLA HANDHELD MOBILE COMPUTERS



Motorola MC3190-Z Handheld RFID Reader
WiFi 802.11a/b/g wireless connectivity, 320 x 320 display MIL-STD 810F standards for drop, tumble & sealing.



Motorola MC-55 All-in-One durable Pocket device
Microsoft windows mobile 6.1 O/S Xscale TM PXA270 520MHz Processor 128MB SDRAM, 512 Flash Memory Color 3.5in. QVGA touch panel Bluetooth V2.0 Enhanced Data Rate(EDR)



Motorola MC9190 Handheld Mobile Computer
CPU Marvell PXA320 processor at 806 MHz Operating System Microsoft Windows CE 6.0 or Microsoft Windows Mobile 6.5 Classic, Bluetooth Version 2.1 with EDR



Motorola MC18 Retail Mobile Computer
fast wireless connectivity with 802.11n. Operating System: Windows CE 5.0 Professional; Pocket Internet Explorer 6.0 Scan Rate Imaging rate: 30 Frames per second.

Pegasus HANDHELD MOBILE COMPUTERS



Pegasus PPT-3000 Handheld Mobile Computer
Marvell PXA 270with 312MHz 32 bit CPU Touch Screen LCD Monitor 256MB M-System H3 Flash ROM Bluetooth class II with V2.0 compliant Linear 1D scanner :Se955



Pegasus PPT-5000 Handheld Mobile Computer
IP64-rated; water, dust & shock-proof. 1.5 meter drop to concrete. WIFI, optional GPRS and Bluetooth 3.2" QVGA color backlight TFT-LCD. Samsung ARM920T-S3C2451@533MHz



Pegasus PPT-5300 Handheld Mobile Computer
Samsung ARM920T@533MHz CPU OS: Windows Embedded CE 6.0 1D Linear scanner 1D/2D Imager; CMOS scanner,WIFI, optional GPRS and Bluetooth.3.2-inch TFT touch screen; direct input or touch input



Pegasus PPT-7000 Handheld Mobile Computer
IP64-rated; water, dust & shock-proof. 1.5 meter drop to concrete. optional 1D barcode scanner, 2D image scanner,WIFI, optional GPRS and Bluetooth.3.2-inch TFT touch screen; direct input or touch input

Pegasus BARCODE SCANNERS



Pegasus PSW-1100
Read Barcode/Charge Over 160,000 scans Decoding rate: 200 times/sec Indicator: Visual, Audio, Customized RF mode of 2.4GHz Bluetooth available



Pegasus PS-1000WiFi
Optical Sensor 2500 pixels Light source Red LED (660nm) Resolution 3 mil Depth of Field 10 ~ 320mm Scan rate 270 scans / second



Pegasus Rugged PS-i500
Pegasus's PS-i500 industrial-grade bar code scanners. Scan rate 100 scans/sec. scan technology in 1D linear imaging, 2D area imaging and laser scanner configurations. Ready for all POS system



Pegasus PSD-6000
Read all major 1D and 2D Barcode symbologies. Read DPM barcode symbology, With IP52 high performance ingress protection. Ready for all POS system

Pegasus BARCODE SCANNERS



Pegasus PS-2024 Omni Directional Barcode Scanner
24 laser scan lines in 6 directions Scan rate up to 1620 scans per second. Suit for Keyboard, RS-232, USB interface port



Pegasus PS-2024
Support both omnidirectional and single-line scan 20 laser scan lines in 5 directions Scan rate up to 1500 scans per second. Suit for Keyboard, RS-232, USB interface port



Pegasus PS-2100 presentation scanner
Scan Pattern 6 directions of scan field Scan Rate: 2,000 scans per second (omni mode) number of Scan: lines 24 (omni mode) Depth of Field: up to 300mm



Pegasus PS-8900
Decode range up to 1.5 meter maximum decode resolution at 3mil infra-red auto-induction Ready for all POS system

MOTOROLA **HANDHELD BARCODE SCANNERS**



Motorola LS- 2208 Handheld Barcode Scanner
 scanner type : bi-directional
 Light source : 650nm visible laser diode
 Scan element : 100 scans/sec typical
 working distance : from contact to 17/43cm



Motorola LS- 3578-ER Rugged Cordless scanner
 Integrated Bluetooth
 scanner type : Retro collective
 Light source : 650nm visible laser diode
 scan element : 36 scans/sec typical
 Minimum element width : 7.5 mil(0.191mm)



Motorola DS6878-SR
 Cordless 2D Imager for healthcare
 Lightweight ergonomic design
 Decode Capacity 1D/2D/PDF417
 Interfaces support 468x/469x,RS-232,USB
 Graphics format support Bitmap, JPEG, TIFF

Honeywell **HANDHELD BARCODE SCANNERS**



Honeywell MS-9520
 650-nm Nanometer laser
 Codegate CodeGate® data transmissions
 Scan speed: 72_2 scan line/sec
 Minimum bar width: 0.127mm(5mil)



Honeywell Voyager 1202g
 Bluetooth / Wireless Bar code reader
 Decoding Capability 1D bar codes
 Minimum Bar width: 10meter
 Battery Life : 12 Hours



Honeywell Xenon 1900
 Area-Imaging Scanner,
 Scan Pattern Area Image (838 x 640 pixel array)
 Motion Tolerance Up to 610 cm/s (240 in/s) for
 13 mil UPC at optimal focus.

Honeywell **OMNI-DIRECTIONAL BARCODE SCANNERS**



Honeywell MS-7820 Solaris Omni Directional Barcode Scanner
 MS-7820 scanner comes standard with an integrated RF EAS antenna.
 1800 scan lines per second speed
 Minimum Bar width : 0.127mm
 Visible laser diode 650nM+10nM



Honeywell MS-7120 Orbit Omni Directional Barcode scanner
 Fully automatic scanning operation
 Data editing (Bits 'n' pieces)
 Counter or wall mounted options
 Power-save mode



Honeywell MS-7625 Omni Directional Barcode Scanner
 Fully automatic scanning operation
 EAS deactivation antenna is standard
 Powerlink, user replicable cables
 OPOS and JPOS system compatible.

Pegasus **DATA COLLECTORS**

Honeywell



Pegasus DC - 7010 Data Collector
 Pegasus DC-7010 is a battery-operated portable data collector with look-up function. Data Capacity 1 MB or 35,000 records scan trigger key, Optical 1D reader.



Pegasus IDC - 3500 Bluetooth Scanner & Data Collector
 With bluetooth communication technology. Decode all major 1D barcode symbologies including GS1 databar. High performance scan rate at 100 scans/sec



Honeywell Scanpal® Handheld Data Collector
 Windows-based application generator
 Optional "C" and "BASIC" complies 128x64 pixels back-lit LCD display
 1MB SRAM, stores over 50K record.



Honeywell SP5500 Optimus S™ Handheld Data Collector
 LCD display with back light
 Scan speed : 1000 scan lines/sec
 Minimum Bar width : 0.127mm(5mil)
 Shock : 1.2m(4") drop onto concrete

Pegasus **POS HARDWARE**



Pegasus Cash Drawer Bluetooth Cash Drawer
 Heavy duty Metal drawer with key lock.
 Spring loaded bill chip & detachable coin tray.
 Tray : 4/6Bill, 8 coin, Slip slot : 1
 Material : Steel Body, Tray: ABS plastic,
 Clip: Metal, Interface: RJ-11, 24V(stander)
 Color: Black, Ivory/Black, Interface: Rj11
 Connectivity : Bluetooth.



Pegasus H-701 & VFD Customer Display
 large display 20x2 line support
 Built-in 7 inches TFT panel
 Resolution : 480x243x3(RGB)
 Able to accept ECS/POS commands for text display support on the field
 VESA mounting (75x75mm)



Pegasus SCR - 300 Smart Card Reader
 Contact reader with vertical card insertion slot.
 One hand operation with optional heavy weight base, 100,000 Insertions, Full speed USB 2.0(12 Mbps) T=0, T=1 protocol support, Communication speed up to 344,105 bps (PPS, FI parameter), Support ISO 7816 Class A and AB smart card.



BARCODE LABEL PRINTERS



Zebra LP/TLP-2824 Barcode Label Printer
 low-to mid-volume label applications
 2-inch-wide printing
 Print area : 56mm(W) & 279mm(L)
 Label and linear width : 60mm.



Zebra GC420 Series Desktop Printer
 Print methods: Direct thermal Print Methods - and thermal.32 bit RISC processor.
 Resolution: 203 dpi/8 dots per mm.
 4"/102 mm per second maximum.



Zebra GX 420d Barcode Label Printer
 Design for easy media loading
 Max. Print speed : 5"/127mm/sec
 Resolution : 230 DPI-8 dots/mm
 Print Area : 104(W)x991(L)mm.



BARCODE LABEL PRINTERS



Zebra HC - 1000 Patient I.D. Solution
 I.D. Solution Makes wristband printing
 Resolution 300DPI(12dots/mm)
 Print speed-2" (51mm/sec)
 ZPL programming language



Zebra ZT200 Series Industrial Printer
 Print Methods - Thermal transfer and direct thermal (Optional)
 Resolution: 203 dpi/8 or 300 dpi/8 dots per mm.(Optional)
 Zebra's Link-OS® environment.



Zebra ZT400 Series Industrial Printer
 Print Methods - Thermal transfer and direct thermal printing.
 Resolution: 203 dpi/8 dots per mm.
 Zebra's Link-OS® environment.

EPSON **RECEIPT PRINTERS**

Pegasus



Epson TM-T88IV / TM-T88V Thermal Receipt Printer
 High Speed printing upto 7.9"/sec
 Same print speed for both text & graphics
 Easy-to-use drop in paper loading
 Wide range of connect-It interfaces



Epson TM-T20 Thermal Receipt Printer
 Epson's cost effective TM-T20 thermal receipt printer.
 Print Methods - Thermal line printing
 Print speed: Max. 150 mm/sec



Epson TM-U220A/B Dot-matrix Impact printer
 Easy drop-in paper loading
 Two-color black and red printing
 Impactful logo printing in black
 Sturdily, lightweight printer.



Pegasus PTM - 900 Thermal Receipt Printer
 Print Speed: Max. 250mm/sec
 Print Font : ANK:12x24,9x17
 Drawer Port 1 Port. Interface RS-232, Parallel, USB, Ethernet.
 Auto Cutter 1,000,000 cuts.





MOBILE PRINTERS



NEW



Zebra OLN Series
Direct Thermal Mobile Label Printers
With Zebra's Link-OS® environment, Apple® iOS, Android, Windows Mobile and BlackBerry® connectivity, Direct thermal printing of barcodes, text and graphics. Print speed : Up to 4"/102 mm per second. Large, easy-to-read LCD control panel (240 x 128 pixels).



Zebra RW Series
Direct Thermal Mobile Printers
Advanced 32-bit architecture for high speed processing, 5-button keypad and LCD. Direct thermal printing of barcodes, text, and graphics. Print speed: 3"/76.2 mm per second



Zebra iM2220
Direct Thermal Mobile Label Printers
With Zebra's Link-OS® environment, Apple® iOS, Direct thermal printing of barcodes, text and graphics. 203 dpi/8 dots per mm resolution. Print speed: Up to 4"/102 mm per second. Supports user-defined fonts and graphics—including custom logos.



ID CARD PRINTERS



NEW



Zebra ZXP Series 3
Direct-to-Card Printer
Dye- Sublimation thermal transfer direct to card full color or monochrome printing. Manual card feeder bezel optional. 180 cph single sided YMCKO, 140 cph dual-sided YMCKOK.

NEW



Zebra ZXP Series 7
High Performance Card Printer
Single side & Double side card printer Optional single & double side laminator. color dye sublimation or monochrome thermal transfer printing. 300 card/hour full color YMCKO single sided, 255 card/hour full color YMCKOK dual sided.



Zebra ZXP Series 8
Returner ID card printer
dual-sided printing
190 cards/hr (full color single sided)
21 character, 6 line LCD display
150 cards capacity card feeder
Print resolution 304 dpi (12 dots/mm).

Pegasus PRICE CHECKER TERMINALS



With Price Checker & Advertising Software



Pegasus PC- 50
Price Checker Machine
display 5.7" diagonal, OS: Standard Linux 2.6 Kernel or WinCE 6.0
Audio Port High Definition Stereo, 3.5 mm standard jack, SD Card Slot, WiFi, RAM 128 MB.



Motorola MK-500
Kiosk Price Checker
Display: Size: 3.5 in. /8.9cm diagonal
Resistive Touch Screen: Standard.
1D Laser scanner 2D Image scanner.
Available Applications: Web Kiosk Software Suite with Source Code.

NEW



Motorola SB1
Smart Badge
Turn shoppers into buyers.
Bar Code reader 1d/2d omni-directional bar code reader. WiFi, 3.0 inch e Ink Pearl display; 4-bit gray scale (16 shades); QVga (320x240), Audio: Beeper, Multicolor LEDs.

Applications :
Online Ordering in Store
Online Price Checking
Push to talk & two way radio
Smart badge for employee
Stock Checking & Data
Collector Functionality.



BIOMETRIC TERMINALS



Pegasus iFC-3000
FP Time Attendance & Access Control
Fingerprint capacity: 3000 users
Time Attendance records: 100000
3.5" TFT LCD graphical display
TCP/IP network interface
supports Backup Battery



Pegasus iFace-850
iFace-850 can hold up to 1500 faces & 2000 fingerprint templates.
Optional RFID card ensures that customers have more choices to manage time attendance and access control.
Verification Speed ~ 2 sec. 4.3" TFT Touch Screen Display, 93.6*165*111mm(L*W*T)dimension.



Pegasus iFace-F300
Face Reader
Elegant Ergonomic Design, TCP/IP communication & USB Host. 3" Inch TFT Touch Screen, T9 Input, Infrared Op. System enables user Identification in poorly lit environments.



RFID SOLUTION

RFID has several components:
There are 3 primary components to a RFID tag:
• The RFID chip for storing data.
• The antenna to transmit data.
• The label to attach the tag to an object.
RFID Reader
Activates/deactivates the antenna and controls the read/write process.
Pegasus Software & Infrastructure
• This is where the tag data is first processed.
Often, RFID middleware is used at this location.
Enterprise Integration
• This is where the tag data is ultimately stored and possible further processing.

Application :
Jewellery Checking & Tracking
Assets Tracking
Warehouse Management
Library System
Document Tracking
Patient Tracking
Laundry Tracking



Motorola MC3190



Zebra PT4 Mobile Printer



CCTV SURVEILLANCE SYSTEMS

Zebra RFID Thermal Printer



Pegasus SE - 6009
Vandalproof IR dome
Φ 5:36pcs IR led;
IR range: 30 Meters;
2.8-12mm varifocal Lens;
Without Audio, 700tvl



Pegasus SE - 3025
1/3 Sony 700TVL, Sony ICX673AKA+ Effio-E, OSD, ATR, DWDR, DNR
Φ 8:30pcs IR led; IR range: 50Meters;
IP 66 weatherproof; 4/6/8mm standard lens; With bracket;



Pegasus PIP - 700
Φ 5:30pcs IR Led 30M,0 Lux(Led on). Manual 2.8-12mm Varifocal Lens. IP66 Weatherproof Standard. Auto Tracking White Balance. Double Glass + Hoop Unique Design.



Pegasus SE - 1025
Weatherproof IR bullet camera
Φ 5:20pcs IR led; IR range: 15Meters; IP 66 weatherproof; Built-in bracket; 3-Axis direction bracket; 3.6/6mm standard lens; Dimension: 142(L)x61 (w)x54(H)mm, Weight: 0.265kg



Pegasus BP- 4001 Barcode Printing Series

NEW



BP - 4001

Multi-function stand-alone operation Features

Features:

- ▶ No PC Operating
- ▶ Multilingual LCD display
- ▶ Easy Forms Update and Easy Data Storage via SD card
- ▶ Convenient form operation
- ▶ SAP & Oracle Support
- ▶ Print label from Barcode reader & keyboard
- ▶ EPL Language Support
- ▶ BarDesigner Label Designing Software FREE with Database support



NEW



A Complete Hospitality/Restaurant Solution

Reliable, Fast & Easy to use. Phomello POS is our core restaurant and hospitality operations offering. It is flexible in design and can easily be set up to support a broad variety of restaurant concepts and workflow.

Features:

- Multi Payment
- Roles & Permissions
- Real Time Reports
- Customized Discounts
- Menu Engineering
- Dispatch System
- Table Management
- Call Center
- Reservation
- Membership



NEW

A PERFECT ENTERPRISE SOLUTION FOR TIME AND ATTENDANCE..

Optimize Your Time.. Don't Just Manage It !!



A Complete Time & Attendance Solution

TimeMan is a web based, Reliable, Fast & Easy to use attendance Solution. It is flexible to use and can easily be set up to support a broad variety of attendance concepts and workflows.

Features:

- Automated Email for Report Generation
- Easy Device Management
- HR & Payroll
- Support Multiple Countries
- Support Multiple Languages
- Multiple Shift Management
- Permission & Approval
- Real Time Report Generator
- User Control Privilege
- Web Based



A Complete Labeling Solution



Largest Adhesive Labels Manufacturer

iLabel, the one stop sticker labels printing solution for all your Self Adhesive Labels needs. iLabel engaged in manufacturing, supplying and exporting a diverse range of self-adhesive labels,stickers and tags.

Type Of label:

- Barcode Labels
- Scale Labels
- Beverage Labels
- Household Product Labels
- Coffee & Tea Labels
- Cosmetic Labels
- Fruit & Produce Labels
- Pharmaceutical Labels
- Water Bottle Labels
- Wax & Resin Labels