

Reliable Worth in a New Shape



ABOUT COMPANY



REACH YOUR GOAL WITH US

WHO WE ARE

PosGulf.com is Middle East leading provider of barcode, mobile computing, and RFID solutions. Since 2009 we have worked hard to earn a reputation for being dedicated, reliable, and customer-oriented. Additionally, we are product experts with deep experience in the field of mobility, inventory and point-of-sale solutions.

WHAT WE DO

We wrap these solutions including education and training, state-of-the-art logistics, financial services, technical support, custom configuration, professional assistance, marketing support, and e-commerce solutions to name but a few.


WE OWE OUR SUCCESS TO YOU !

PosGulf.com continues to grow year after year. We have one overriding objective: Focus on you, the customer. We work hard to listen carefully and tailor our solutions to meet your needs. Then, we make ordering easy for you while providing a great value. Our goal is to build a growing relationship with you, and we appreciate the opportunity to serve you.

INDEX

INSIDE HIGHLIGHT

- 1. Our Distributors 1
- 2. POS Terminals 2-3
- 3. Pegasus Self POS & Counter top Stand 4
- 4. EAS Anti Theft & SuperRetail Solution 5
- 5. Barcode Scanners 6-8
- 6. Mobile Computers 9-10
- 7. Pegasus RFID Solution & Asset Tracking 11
- 8. iDataCollector & GeoWork Solution 12
- 9. Label Printers 13
- 10. Mobile Printers & Receipt Printers 14
- 11. Epson C3500 & iLabel Labeling Solution 15
- 12. Pegasus Queue System & Queue Busting Solution 16
- 13. Phomello LitePOS 17
- 14. Phomello Window & Phomello Cloud Restaurant 18
- 15. TimeMan Attendance Solution 19
- 16. Pegasus Self Service Kiosk & Electronic Shelf Tag Solution 20



Follow & Like us: 
















Download Application







OUR DISTRIBUTORS



The company's extensive portfolio of marking and printing technologies, including RFID and real-time location solutions.



Pegasus is the Leading Provider of technology solutions. From enterprise infrastructure to retail store-level technology.



Core specialties are Automatic Data Capture and Industrial Automation for the retail, manufacturing, transportation & logistics and healthcare industries.



Honeywell's innovative technologies are making our world cleaner and more sustainable, more secure, connected, energy efficient, and productive.



A leading manufacturer in the printer, professional imaging, projector, scanner, systems devices, and factory automation categories.



iLabel engaged in manufacturing, supplying and exporting a diverse range of self-adhesive labels, stickers and tags.



Citizen Systems Europe produces a comprehensive range of printing solutions and designs its machines to meet the specific needs of each application.



For over half a century, Star Micronics has established itself as a leading supplier of small printers, audio components, high-precision machine tools, and precision parts.



Leading innovator in cloud ERP, provides cloud business management software that empowers small and mid-size businesses to unlock their potential and drive growth.



Phomello produces comprehensive hospitality solution for restaurant, Games amusement, Health Club & Spa, Saloon & Hotels. Phomello Hospitality & Phomello Cloud solutions are available for enterprise.



Leading manufacturer for iPhone enclosures barcode readers and rfid readers.



At Bixelon, we view our suppliers as a direct extension of our company. Our success hinges on strong, positive relationships and a shared approach to responsible business practices across the supply chain.



At Dascom our boundaries are broad and we believe our future is limited only by the depth of our innovation and imagination. Each day we seek to redefine the future of global business printing.



HID provides the industry's broadest range of smart card-based credentials such as cards, tags and keyfobs. As part of its portfolio, HID offers non technology IDs as well as single technology.

ALL IN ONE POS TERMINAL WITH PRINTER & TOUCH SCREEN

Pegasus MN8320 Compact Android Terminal

Overview:

Phomello LitePOS is a great solution for Small business owners and Grocery Shops. The lightweight and portable Phomello LitePOS device allows shop owners to manage Inventory, track sales, store vendor contacts and customer details, issue discounts, customize VAT/GST tax and email or print digital receipts efficiently.

Phomello
LitePOS



Android WiFi Bluetooth

A Simple VAT/GST Enabled Billing POS System For all your needs..

App Features:

- ▶▶ VAT/GST Enabled
- ▶▶ Receipt Bill Printing
- ▶▶ Lite Inventory System
- ▶▶ Manage Manufacture
- ▶▶ Maintain Business Group



Pegasus PHA-POS25

ALL-IN-ONE POS TERMINAL

**Experience the Future for Restaurants
Most efficient & Profitable Solution**



Android WiFi Bluetooth



Overview:

POS Android Cash Register with Android 6.0, Waterproof capacitive Full HD IPS Touch, Optional 2nd customer display 7"/14", OctaCore CPU (8x 1,7 GHz), 16GB Nand Flash, 2GB RAM, MicroSD Slot.

Phomello
Android Cloud

App Features:

- ▶▶ Cloud Management, Inventory Management
- ▶▶ Table top System, Email & SMS Setup
- ▶▶ Recipe & food Costing, Kitchen Display System



PEGASUS BESTPOS B8110 ALLUMINIUM POS

Features:

Solid aluminium casing, high quality components and a true flat splash-proof screen, all at a competitive price. It's the professional quality touch epos system with beautifully integrated extras that does it all - in style.

- MSR and Dallas Reader
- 10.1" Customer Display
- LCD/VFD Customer Display
- Slim, Strong, Elegant Design



POINT OF SALE SYSTEMS



Pegasus E-POS Power POS
 CPU: intel Dualcore 2.35GHz
 Memory: 2GB DDR2 RAM
 Touch: 1X15" Fujitsu Resistive Touch
 2Sata-80: 2.5" SATA HDD 80GB
 MCR: 1XMCR Track1/2/3, pre-installed



Pegasus EverPOS
 CPU: Celeron® J1900/i3/i5 2.0~2.4Ghz
 Storage: DDR3L Standard 2G ; Max 8G
 Display with touch: Bezel-free 5W Resistive
 Storage: Extractable SATA Storage x 1



Pegasus RPOS6000
 CPU: Intel® Bay Trail-D Platform, Celeron® J1900/i3/i5
 Display: 15" Full Flat LCD, 5 Wire Resistive Type or Projective Capacitive
 Storage: HDD, 1x2.5" SATA, 1xCFast Slot
 Printer: 250 mm/sec thermal receipt printer



Pegasus ZPOS Series
 CPU: Celeron® Processor J1900 (2.0 Ghz)
 Memory: 4GB (Default) DDR3 RAM
 Storage: 2.5" SATA SSD or HDD
 Touch: Capacitive touch screen 15"
 POS Support: POS Ready 7,Vista, Linux, Windows 7, Windows 10



POS HARDWARES



Pegasus KB-67/KB-78/KB-112 Programmable Keyboard
 With 66/78/112 Cherry MX keys based on Gold crosspoint technology and have tactile feeling. Different relegendable keycaps (1-fold,2 fold,4 fold) are available. 6 steps keylock, Life cycle:>25,000, Card swipe speed: 10 to 100 cm/s, KB-67 with smart card reader.



Pegasus H-701 & VFD Customer Display
 Large Display 20x2 line support
 Built-in 7 inches TFT panel
 Resolution: 480x243x3 (RGB) able to accept ECS/POS commands for text display support on the field VESA mounting (75x75)



Pegasus Cash Drawer
 Heavy duty metal drawer with key lock. Spring loaded bill clip & detachable coin tray. Tray:4/6Bill, 8 Coin, Slip slot:1
 Material: Steel Body, Tray: ABS plastic, Clip: Metal Interface: RJ-11,24V(Standard)
 Color: Black, Ivory/ Black, Interface:RJ11



Pegasus Bluetooth Cash Drawer
 Heavy duty metal drawer with key lock. Spring loaded bill clip & detachable coin tray. Tray:4/6Bill, 8 Coin, Slip slot:1
 Material: Steel Body, Tray: ABS plastic, Clip: Metal Interface: RJ-11, 24V(Standard)
 Color: Black, Ivory/ Black, Interface:RJ11
 Connectivity: Bluetooth



ENCODERS & CARD READER



Pegasus MCE-2011 3 Tracks Mini Magnetic Reader/Writer/Encoder
 Interface: RS232/USB
 Swipe speed: 10-150 cm/seconds (Read)
 Recording density: 210 BPI, 75 BPI, 210 BPI
 10-100 cm/seconds (Write)
 Card standard: ISO 7811/2
 Card thickness: 0.76 ± 0.08 mm



Pegasus MCR-1011 Mini Magnetic Card Reader 3 Tracks
 Interface: RS232/PS2/USB
 Operation speed: 14-140 cm/sec (6-50inch/sec)
 Card standard: ISO 7811/2
 Card thickness: 0.76 ± 0.08mm
 Magnetic head life: At least 500,000 times



Pegasus DU101 UHF RFID Desktop Reader
 Neat and tiny casing
 Support ISO18000-6C protocol
 RS232/RJ45 multiple interface communication port
 Electronics Tickets, Card sending & Access Control



Pegasus PCR-3900 Series Smart Card Reader
 Host Interface: USB 2.0 full speed (12 Mbps)
 Smart Card Connector: 100,000 insertion cycles EMV Level 1 mechanically compliant
 Smart Card Interface: Reads from and writes to all ISO 7816-1,2,3,4 microprocessor cards, T=0 and T=1 protocols

COMPLETE SELF CHECKOUT SOLUTION

Pegasus Self-POS-102

Retail Self Service Kiosk



Features:

- ▮▮ Easy maintenance
- ▮▮ BNR&BCR Cash module
- ▮▮ All-imaging 1D/2D scanning
- ▮▮ Security scale for weight verification

MULTIFUNCTION SELF-SERVICE SYSTEM SELF-CHECKOUT AT SUPERMARKET

Pegasus RS101

Retail Self Service Kiosk

Features:

- ▮▮ Easy maintenance
- ▮▮ Ergonomics design
- ▮▮ All-imaging 1D/2D scanning
- ▮▮ Wall mounting or With Stand



Pegasus®

MULTI PURPOSE COUNTERTOP STAND

Features:

- ▮▮ Various accessory choices for wide adaptability with more functions.
- ▮▮ Flexible installation-each holder can rotate 360 deg. around the hole and could be adjusted in height.
- ▮▮ Single or dual holders for screens, adjustable in angle.
- ▮▮ Wire management stand for easy routing of cable. keep cable neat and out of sight.

Product Parameters:

- ▮▮ Material : SPCC
- ▮▮ Net Weight: 6.8Kg/15.0 LBS
- ▮▮ Color Options: Black, White and Customized
- ▮▮ Screens: Single Screen or Dual Screen

Pegasus ENC-POS-1



Pegasus EAS Anti Theft System

**BOOST YOUR SALES AND
PROTECT PROFITS**



Overview:

Pegasus EAS anti-theft system provides retailers with both a visual and audible alarm when a shoplifting incident occurs. Closed circuit televisions, mirrors and watchful employees are all passive deterrants-they do not prevent theft unless someone is visually caught in the act of stealing. Our systems are designed to immediately notify store personnel during a shoplifting event.

Key Benefits:

- 1 False alarm immunity to prevent customer embarrassment.
- 2 Reduces your businesses risk of becoming a victim of crime.
- 3 Wide range of attractive designs complements any store decor.
- 4 May help lower insurance costs to save your business money.



**MODERNIZE YOUR RETAIL STORE
WITH INCLUSIVE INVENTORY SYSTEM**

Pegasus SuperRetail System



Overview:

Pegasus designed and developed the software by working with some of the smartest retailers around. Today the company continues to work with many prominent retailers world-wide. It sells, installs, supports and continues to enhance this remarkable software. Retail Management System is composed of both Head Office and store-level (including Point of Sale) systems.

It is a powerful merchandise management and logistics system, that can handle merchandise-mix management, purchasing, warehousing, distribution, auto-replenish-ment, price management, promotions, customer relationship management, loss prevention and business intelligence.



WIRELESS BARCODE SCANNERS



Pegasus PSW-1100
Read Barcode/Charge Over 160,000 scans Decoding rate: 200 times/sec Indicator: Visual, Audio, Customized RF mode of 2.4GHz Bluetooth available



Pegasus PS-1000WiFi
Optical Sensor 2500 pixels Light source Red LED (660nm) Resolution 3 mil Depth of Field 10 ~ 320mm Scan rate 270 scans / second



Pegasus PS32D1 Rugged
Bluetooth Wireless 1D/2D QR Range up to 100 feet straight Read from Mobile Screen Compatible with iOS, Android, Windows



Pegasus PS1246 1D
Wireless 1D Laser Scanner Dual Mode: Instant & Storage Rugged & Shock Proof Design Wireless range about 30-60 feet



WIRED BARCODE SCANNERS



Pegasus PS111B BT 2D Ring
Low Profile, Free Hands Ring Scanner Lightweight device rests on the finger Support OS: Windows, iOS, Android Bluetooth Wireless: up to 30 feet (10m) From the computer / Mobile phone



Pegasus PSi500 Rugged
Laser: 650nm Laser Diode Decode capability: all major 1D barcode Scan rate: 100 scans/seconds Passed multiple 5.0-meters-high Drop tests



Pegasus PS1133 1D Laser
Laser: 645-660nm laser diode Decode capability: All major 1D Barcode Symbolologies including GS1 DataBar Scan repetition rate:200 scans/second With IP52 high performance ingress



Pegasus PS3113 2D Image
Read from Mobile & Laptops Ergonomic, snappy and stylish design Decode capability: Read all major 1D & 2D Image auto-detection, supports both handheld and presentation scanning modes

ZEBRA BARCODE SCANNERS



Zebra LS2208/DS2208 Handheld Barcode Scanner
scanner type : bi-directional Light source : 650nm visible laser diode scan element : 100 scans/sec typical working distance : from contact to 17/43cm



Zebra DS3608DR Ultra Rugged Cordless Scanner
Drop Specification: Withstands multiple 8.0 ft. /2.4 m drops to concrete Tumble Specification: 5000 tumbles @ 3.3 ft. (1m) Bluetooth Radio: Bluetooth Class 1, Version 4.0 (LE)



Zebra LI4278 1D Barcode Scanner
Motion Tolerance 25 in./ 63.5 cm per sec. Light Source LED Class 1 device 617nm (amber) Min. Print Contrast 15% MRD Scans Per Charge Up to 57,000



Zebra LS3578-ER Rugged Cordless Bluetooth Scanner
Light Source: 650 nm visible laser diode Scan Repetition: 36 scans per sec typical Radio Range: Up to 300 ft. (100m) direct line of sight in open air; typical indoor cordless range is 100 ft. (33m)

ZEBRA HEALTHCARE SCANNERS



Zebra DS4308-HC Healthcare Scanner
Light Source: Aiming pattern: 617 nm LED Illumination: 660 nm LEDs Imager Field of View: 36° (H) x 22.5° (V) Drop Specification: Withstands multiple 6 ft./1.83 m drops to concrete



Zebra CS4070-HC Pocket Sized Wireless Scanner
Memory: 512 MB Flash Decode Capability: 1D and 2D symbolologies Bluetooth Range: 300 feet/100 meter Scan Engine: SE4710 image engine Interfaces Supported: USB (Micro Jack): Bluetooth



Zebra DS8100-HC Series Healthcare Scanner
Light Source: Aiming Pattern: true green (528nm) Circular Radio Frequency Devices: 47 CFR Part 15, Subpart B, Class B Bluetooth: Standard version 4.0



Zebra DS6878-HC Healthcare Scanner
Light Source: Aiming Pattern: 655 +/- 10 nm laser diode Illumination: 625 +/- 5 nm LED Imager Field of View: 39.2° horizontal, 25.4° vertical Drop Specification: Withstands multiple 6 ft./1.8 m drops to concrete

ENJOY FREEDOM OF WIRELESS BARCODE SCANNING

Pegasus PS2230 1D Digital Wireless Scanner



Wireless 1D

Overview:

The Pegasus 1D Digital Barcode Scanner is easy in usage which offers best-in-class solutions for retailers, point of sales, Offices, Light Industries, Warehouses, Libraries, Medicals, Legal offices, Government operations, Manufacturing and in any repetitive application where time and purity are critical factors in helping businesses to boost their workflow.


Features:

- ▶▶▶ Instant or Storage
- ▶▶▶ Dual instant storage mode
- ▶▶▶ Storage About 10000 Records
- ▶▶▶ Wireless Transmission Range up to 100 mtr



Pegasus PS2290 Cordless Image Scanner

MAXIMUM DATA CAPTURE WITH ACCURACY



Wireless 1D

Features:

- ▶▶▶ Stylish and ergonomic design, small base saves installation space
- ▶▶▶ Read all common 1D/2D barcodes from paper labels and electronic screens
- ▶▶▶ Working range reaches up to 100 meters
- ▶▶▶ Support point-to-point and multi-point data transmission
- ▶▶▶ Support batch mode capability (3,000 EAN-13 barcodes)
- ▶▶▶ Built-in rechargeable & replaceable battery, one full charge supports scanning for 46 hours or standby for 4.5 days





Honeywell HANDHELD BARCODE SCANNERS



Honeywell Voyager MS9520
 Scan Pattern: Single scan line
 Scan Speed: 72 scan lines per second
 Decode Capabilities: Reads standard 1D and GS1 DataBar symbologies
 Drop Designed to withstand 1.5 m (5') drops



Honeywell Voyager 1202G
 Bluetooth / Wireless Bar code reader
 Decoding Capability 1D bar codes
 Minimum Bar width: 10meter
 Battery Life : 12 Hours



Honeywell Xenon 1900
 Scan Pattern: Area Image (838x640 pixel)
 Decode Capability: Reads standard 1D, PDF, 2D, Postal and OCR symbologies
 Motion Tolerance: Up to 610 cm/s (240 in/s) for 13 mil UPC at optimal focus



Honeywell Xenon 1902G
 Bluetooth: 1902/1902C Radio/Range: 2.4 to 2.5 GHz (ISM Band)
 Scan Pattern: Area Image (838x640 pixel)
 Decode Capabilities: Reads standard 1D, PDF, 2D, Postal and OCR Symbologies

Honeywell OMNI DIRECTIONAL BARCODE SCANNERS



Honeywell Orbit 7190G
 Scan Pattern: Hybrid, Omnidirectional Laser (5 fields of 4 parallel lines) and Area Imager (640x480 pixel array)
 Scan Speed: Omnidirectional:1120 per sec.
 Decode Capabilities: Reads standard 1D, PDF and 2D Symbologies



Zebra DS7708 Imager
 Light Source: Two deep red LEDs (660nm)
 Swipe Speed: Up to 100 in./seconds (254 cm/seconds)
 Minimum Print Contrast: 25% minimum reflective difference
 Decoding ability:1D, 2D and PDF417



Honeywell Solaris 7980g
 Scan Pattern: Area image (1280 x 960 pixel array)
 Motion Tolere.: 13mil at optimal focal point
 Scan Angle: Horizontal: 42°; Vertical: 34°



Honeywell Orbit 7120
 Scan Pattern: 5 fields of 4 parallel lines
 Scan Speed: 1200 scan lines per second
 Decode Capability: Auto discriminates all standard bar codes; for other symbologies call Metrologic

Honeywell POCKET BARCODE SCANNERS



Honeywell Voyager 1602G
 Scan Pattern: Area Image (640x480 pixel)
 Motion Tolerance:Up to 10 cm/s (4 in/s) for 13 mil UPC at optimal focus
 OS Compatibility: Apple iOS®; Google Android®; Microsoft Windows® XP, Vista, 7,8,10



Honeywell SF61B
 Range: 100 m (325 ft) in open space, 30m (100 ft) in
 Scan Rate: 1D: Up to 200 scans/seconds
 OS Compatibility: Apple iOS®; Google Android®; Microsoft Windows® XP, Vista, 7,8,10



Honeywell SF61B-HC
 Bluetooth: Class 1 v2.1+EDR
 Range: 100 m (325 ft) in open space, 30m (100 ft) in typical work environment
 OS Compatibility: Apple iOS®; Google Android®; Microsoft Windows® XP, Vista, 7,8,10



Zebra CS4070 Scanner
 Scan Engine: SE4710 image engine
 Interfaces USB: (micro jack); Bluetooth
 Decode Capability: 1D and 2D Symbologies
 OS Compatibility: Apple iOS®; Google Android®; Microsoft Windows® XP, Vista, 7,8,10

DATALOGIC HANDHELD & PRESENTATION BARCODE SCANNERS



QuickScan Lite QW2400
 Imager Sensor Field of View: 48 x 37° (H x V)
 Wide VGA: 640 x 480 pixels
 Light Source Aiming: 1 Blue LED;
 Illumination: White LED 350 - 770 nm
 Motion Tolerance: 20 IPS



Datalogic GM4100
 Light Source Illumination: LED Array 630 - 670 nm
 Print Contrast Ratio (Min.): 15%
 Read Rate (Max.): 325 reads/seconds
 Reading Angle Pitch: +/- 65°; Roll (Tilt): +/- 35°; Skew (Yaw): +/- 65°
 Resolution (Max.): 0.076 mm / 3 mils



Datalogic QuickScan QM2400
 Cordless System with up to 25.0 m / 82.0 Feet range
 Light Source Aiming: 2 Blue LED's;
 Illumination: Red LED 610 - 650 nm
 Motion Tolerance: 25 IPS
 Drop Resistance: Withstands repeated drops from 1.5 m/4.9 feet onto a concrete surface.



Datalogic Magellan 3200VSi
 Light Source: Illumination Multiple diffused 625nm LEDs
 Read Rate (Max) 39 Million pixels per sec.
 Reading Angle Pitch: +/- 65°;
 Roll (Tilt): 0 - 360°; Skew (Yaw): +/- 75°
 Reading Indicators: Beeper (Adjustable Tone and Volume); Good Read LED; Good Transmission



DATA COLLECTORS



Pegasus DC7010

CPU: 32 bit CPU, with 512K Program
Memory: 2M Byte SRAM
Display: 128x128 graphic dots FSTN
LED: Dual Color (Red/Green) LED
Indicator



Pegasus iDC-3500

Bluetooth: HID; SPP master; SPP slave
Working range: 10 meters
Display: LCD Monochrome display
Scan rate: 100±10 times /seconds
Storage: 10MB to 50MB (U Disk)



Pegasus DC8050

Light source: Visible red light, 632nm
Sensor Linear: CCD Sensor
Processor: ARM32-bit
FLASH Storage: 16MB (50,000 Codes)
Decode speed: 300times/seconds



Pegasus PS1218, PS2218, PS3218 Pocket BT

Optional: (1D CCD, 2D)
Dual Scanning Mode: Instant & Storage
OS: Compatible with Andorid, iOS and Windows



HANDHELD MOBILE COMPUTERS




Pegasus AC9121 Handheld Mobile Terminal

OS: Android 4.3/Android 5.1
Storage: 1G RAM+4G ROM
Display: 3.5' 480*640 capacitance touch
Camera: 8 m-pixel, autofocus, LED light
WiFi: IEEE 802.11 a/b/g/n, Bluetooth 4.0



Pegasus PPT8532 Mobile Intelligent Terminal

OS: Android 4.4/Android 5.1
Storage: 1G RAM+8G ROM
Display: 4.0' 480*800 capacitance touch
Camera: Postposition 8 megapixel, LED
WiFi: IEEE 802.11 a/b/g/n, Bluetooth 4.0



Pegasus ACT5712 Android RFID Handheld Terminal

OS: Android 5.1, with 8000 mAh Battery
Storage: 2GB RAM+16GB ROM
Camera: 8.0 Megapixel
Display: 5 inch TFT LCD



Pegasus AC5713 Android 4G Terminal

OS: Android 5.1.1, with 5200 mAh Battery
Storage: 2GB RAM+16GB ROM
Camera 8.0, Auto-focus with LED flash
Display: 5 inch TFT LCD



HANDHELD MOBILE COMPUTERS



Zebra MC3300

CPU: Qualcomm 8056 1.8 GHz hexa-core
64 bit with power optimize
OS: Android 7.0 (Nougat)
Memory: 2GB/16GB Standard
Display: 4.0 inch capacitive Touch Panel
Corning® Gorilla®



Zebra TC25 Series Rugged

CPU: QCOM MSM8937® 64-bit-8-core
OS: Android 7.X (Nougat)
Memory: 2GB/16GB Flash Memory
Display: 4.3 inch (800x480) Capacitive
Multi Touch Panel



Zebra TC8000 Rugged

CPU: Dual core 1.7 GHz processor
OS: Android AOSP 5.1.x (Lollipop)
Memory: 1GB RAM/4 GB Flash pSLC
Camera: 8MP autofocus, f/2.4 aperture
Display: 800x480 pixels multi touch
capacitive



Zebra MC9200 Rugged

CPU: Dual Core 1 Ghz OMAP4 Processor
OS: Android 4.4.4
Memory: 512MB RAM/2GB Flash
Display: 3.7 inch VGA Resolution Color
RFID Tag: Integrated UHF Gen2 Tag



HANDHELD MOBILE COMPUTERS



Honeywell CK3R

Memory: 256 MB RAM, ROM: 512 MB
Display: 240 x 320 pixels, LED backlight,
High-durability touch screen
Wireless LAN: IEEE 802.11 b/g/n
WLAN Bluetooth: Integrated Bluetooth
Class II, 2.1+EDR



Honeywell Scanpal EDA50

Processor: Qualcomm Snapdragon 410
MSM8916 1.2 GHz quad-core
Memory: 2 GB RAM, 8 GB Flash
Operating System: Android 7.1.1 with
Wireless: WLAN: IEEE 802.11 a/b/g/n radio,
NFC, Bluetooth® Class 4.0



Honeywell Dolphin 99GX

Processor: Texas Instruments® OMAP3715
1.0 GHz
OS: Microsoft® Windows® Embedded
Handheld 6.5 Professional and Classic
Memory: 512 MB RAM x 1 GB Flash
Display: VGA (480 x 640), 333 nits



Honeywell Dolphin 6510

Processor: Texas Instruments OMAP3715
1 GHz
OS: Microsoft Windows CE 6.0
Memory: 512 MB RAM; 1024 MB Flash
Display: LCD with backlight, QVGA
(240 x 320)



DATALOGIC™ HANDHELD COMPUTERS



Datalogic Scorio X4
 Microprocessor: TI OMAP4 @ 1 GHz
 Memory RAM: 1 GB, Flash: 8 GB
 OS: Microsoft Windows Embedded Compact 7 (WEC7) or Android v4.4
 Display: TFT / Transflective LCD with 240 x 320 pixel LED touch screen



Datalogic Memor X3
 Microprocessor: XScale™ PXA310 @ 806 MHz on Windows CE 6.0
 Memory RAM: 256 MB, Pro models; 128 MB Memory Flash: 512 MB
 OS: Microsoft Windows CE 6.0 Pro with Microsoft WordPad and Internet Explorer 6.0; Microsoft Windows CE 6.0 Core
 Display: TFT 240x320 pixel



Datalogic Joya Touch A6
 Microprocessor: XScale™ PXA310 @ 806 MHz; 32 bit
 Memory RAM: 512MB, Flash: 512MB
 Joya Touch Plus: Flash: 1 GB Flash
 Disk 4 GB additional Flash on SD card
 OS: Microsoft Windows Embedded Compact 7 Professional
 Display: WVGA: 854x480 touch TFT-LCD



Datalogic Falcon X3
 Microprocessor: XScale™ PXA310 @ 624 MHz
 Coprocessor: Cortex-M3, 32 bit @ 72 MHz
 OS: Microsoft Windows CE 6.0 with Microsoft WordPad and Internet Explorer 6.0
 Windows Handheld 6.5 with Mobile Memory: System RAM: 256 MB, System Flash: 256 MB

Pegasus DC8050 Data Collector

THE NEXT EXPANSION IN RAPID DATA CAPTURING



Overview:

Pegasus DC8050 is a RF-PDA which combine's wireless scanner and common wireless collector functions, users can use it without any programs. RF-PDA with keyboard and screen can type the codes when it can't be decoded. It shows wireless channel, wireless strength and battery levels. it supports WINDOWS system with the USB interface cable simulation keyboard mode and without any separate driver. 1D CCD barcode engine is embedded in RF-PDA, it can meet most industries needs with its fast scanning speed, long decode range.



POWER YOUR BUSINESS WITH RFID AND ANDROID

Pegasus AC5713 Android 4G Terminal



Features:

High Speed Data Communication

Double insurance of 4G high Speed network and dual-frequency WIFI network can ensure the real-time data communication.

Extraordinary Battery Life

Extreme high capacity battery of 5200mAh can ensure long battery life in different using environment.

Rugged Ergonomic and Over-molding Design

Over-molding and ergonomic hardware design can satisfy most of the tough environments from different fields.



Pegasus RFID Solutions

SAVE YOUR TIME & GROW YOUR BUSINESS



RFID Asset Tracking



RFID Document Management



Jewellery Label RFID Solution



RFID Warehousing Solution

RFID has several components:

There are 3 primary components to a RFID tag:

- ▶ The RFID chip for storing data
- ▶ The Antenna to transmit data
- ▶ The Label to attach the tag to an object

RFID Reader

Activates/deactivates the antenna and controls the read/write process.

Pegasus Software & Infrastructure

- ▶ This is where the tag data is first processed.
- ▶ Often, RFID middleware is used at this location.

Enterprise Integration

- ▶ This is where the tag data is ultimately stored and possible further processing.



IMPROVE PRODUCTIVITY WITH BETTER TRACKING SOLUTION

Pegasus Asset Tracking Solution



Features:

- ▶ Effectively manage risk
- ▶ Reliable decision making
- ▶ Improve asset performance
- ▶ Increase productivity and profits



Buildings



Vehicles



Furnitures



Machinery



Mobile



Laptop

MOBILE SOFTWARE DEVELOPMENT IN MINUTES

Pegasus iDataCollector



Overview:

iDataCollector is a mobile application builder that gives programmers and non-programmers the ability to build and deploy enterprise class mobile barcode apps in minutes.

Features:

- ▶ Online / Offline
- ▶ User Customize modules, Easy Setup By Cloud
- ▶ Ware house modules : Goods Receiving, Transfers, Stock Checking, Price Checking, & Delivery modules
- ▶ Asset Tracking : Issues, Asset Tracks, Asset Counts
- ▶ Easy Integration with Microsoft Dynamics, SAP, Oracle & Sql Database
- ▶ Support Android phones and mobile computer

Pegasus GeoWork System

TRACK YOUR STAFF, VEHICLES AND STAFF WORKS



Overview:

GeoWork is used to locate employees, their productivity and vehicles with the help of online software and smartphone. The vehicle and employee location data is collected through GPS from smartphone which is later sent to the central server.

Features:

- ▶ Unlimited Contacts
- ▶ Live Tracking
- ▶ Manage Outdoor
- ▶ Automated Email and SMS
- ▶ Online Messaging
- ▶ Track Order

Pegasus®



PEGASUS BP4001 Barcode Printer


Amusement Park

Hospitals

Healthclub

Features:

- ▮▮ EPL Language Support
- ▮▮ Multilingual LCD Display
- ▮▮ Convenient from operation
- ▮▮ Print label from barcode reader & keyboard
- ▮▮ Free database support label designer software



ZEBRA DESKTOP LABEL PRINTERS



Zebra ZD410 Printer

Print Method: Direct Thermal print method
Resolution: 203 dpi/8 dots per mm
Memory: 512 MB Flash; 256 MB SDRAM
Maximum
Print Speed: 4 in./102 mm per sec. 300dpi



Zebra GC420D/T Printer

Print Method: Direct thermal and thermal transfer printer
Resolution: 203 dpi/8 dots per mm
Memory: 8 MB Flash, 8 MB SDRAM
Print Speed: 4"/102 mm per sec. maximum



Zebra ZD420 Printer

Print Method: Direct Thermal print method
Resolution: 203 dpi/8 dots per mm
Memory: 512 MB Flash; 256 MB SDRAM
Print Speed: 4 in./102 mm per sec. 300dpi



Zebra GK420D/T Printer

Print methods: Direct thermal and Thermal transfer Printer
Resolution: 203 dpi/8 dots per mm
Memory: 8 MB Standard SDRAM memory (3 MB available to user)
Print Speed: Maximum 5 ips (127 mm/sec)



ZEBRA INDUSTRIAL LABEL PRINTERS



Zebra Hc100 (Healthcare) Patient ID Solution

Printing: Direct thermal printing of barcodes, text and graphics
Print Resolution: 300dpi/ 12dots per mm
Communication: Method: USB and Serial interface (Standard)



Zebra ZT600 Series Industrial Printer

Print Method : Thermal transfer and direct thermal printing
Resolution: 600 dpi/24 dots per mm (Optional for ZT610 only)
Memory: 1GB RAM Memory



Zebra ZT400 Series Industrial Printer

Print Method : Thermal transfer and direct thermal printing
Resolution: 203 dpi/8 dots per mm
Memory: 256MB SDRAM



Zebra ZT500 Series Industrial Printer

Print Method : Thermal transfer and direct thermal printing
Resolution: 203 dpi/8 dots per mm
Memory: 512 MB RAM Memory

ZEBRA CARD PRINTERS



Zebra ZXP Series 9

Printing: Full Color, Single-and dual sided
Print Resolution:304 dpi (12.0 dots/mm)
Memory:64 MB memory standard
Laminator: Single sided & Dual sided
USB & Ethernet Connectivity



Zebra ZC100 Card Printer

Printing: Dye-sublimation thermal transfer direct to card print method
Full-color or monochrome printing
Single-sided printing
Print Resolution: 300 dpi (11.8 dots/mm)
Memory: 2 GB flash memory



Zebra ZC300 Card Printer

Printing: Dye-sublimation thermal transfer direct to card print method
Full-color or monochrome printing
Single and dual-sided printing
Print Resolution: 300 dpi (11.8 dots/mm)
Memory: 2 GB flash memory



Pegasus PCP Series

Printing: Direct to card Dye-sublimation/ Resin thermal transfer, Single or Dual sided Edge to Edge printing
Full-color and monochrome printing
Print Resolution: 300 dpi (11.8 dpm)
Memory: 128MB memory




PEGASUS MOBILE PRINTERS & PRICE CHECKERS



Pegasus PM8001 Thermal Mobile Printer

Printing: Thermal Line Printing
Resolution: 203dpi(8 dot/mm)
Printing speed:75 mm/sec (max)
Interface: Bluetooth(BT4.0&BLE)/WiFi/
USB/RS232



Pegasus PM5821 Thermal Mobile Printer

Printing: Thermal Line Printing
Resolution: 384 dots/line (8dots/mm203dpi)
Printing Speed: 70mm/Sec.
Interface: USB, Bluetooth Communication



Pegasus Price Checker PC500

Display: 4.3" Diagonal Color Screen
(None Touch Display)
Memory: RAM-128MB
Resolution: 480 x 272 pixels
Dual Mounting: Wall mount with 2 screws
compatible to SG-15 and VESA 75mm
mounting bracket



Zebra MK500 Micro Kiosk Affordable Self-Service

Size: 3.5 in. /8.9cm diagonal
Resolution: 320 x 240 pixels (QVGA)
Resistive Touch Screen: Standard
Flash memory: 64MB, RAM: 64MB SDRAM
Scanning: Laser version for capture of 1D
codes; Imager version for capture of 1D, 2D
and PDF417 codes

ZEBRA MOBILE PRINTERS



Zebra ZQ500 Series Mobile Printer

Printing: Direct thermal printing of barcodes,
text and graphics
Supported OS: iOS, Android, Windows
Mobile and BlackBerry® connectivity
Print Resolution: 203 dpi resolution
(8 dots per mm)
Memory: 64 MB available for user storage



Zebra IMZ Series Mobile Printer

Printing: Direct thermal printing of barcodes,
text and graphics
Supported OS: iOS, Android, Windows
Mobile and BlackBerry® connectivity
Print Resolution: 203dpi/ 8dots per mm
Memory: 128MB RAM; 128MB Flash
(Standard)



Zebra QLN Series Mobile Computer

Printing: Direct thermal printing of barcodes,
text and graphics
Supported OS: iOS, Android, Windows
Mobile and BlackBerry® connectivity
Print Resolution: 203dpi/ 8dots per mm
Memory: 128MB RAM; 256MB Flash
(standard)



Zebra P4T Mobile Printer

Printing: Thermal transfer or direct thermal
printing modes
Print Resolution: 203dpi/ 8 dots per mm
Memory: 8MB Flash/ 16MB SRAM
Interface: USB 2.0, Bluetooth, WLAN
(802.11b/g)

EPSON RECEIPT PRINTERS



Epson TM-T20II Thermal Receipt Printer

Epson's cost effective TM-T20 thermal
receipt printer.
Print Methods - Thermal line
printing Print speed: Max. 150 mm/sec



Epson TM88V Thermal Receipt Printer

High Speed printing upto 7.9"/sec
Same print speed for both text & graphics
Easy-to-use drop in paper loading
Wide range of connect-It interfaces



Epson TM-U220A/B Dot-matrix Impact printer

Easy drop-in paper loading
Two-color black and red printing
Impactful logo printing in black
Sturdily, lightweight printer.



Pegasus PR8001 Thermal Receipt Printer

Printing Method: Thermal Line
Printing Speed: 250mm/s
Print Font: ANK:12x24, 9x17
Chinese:24x24
Character line: 48-font A/64-fontB

Honeywell/Intermec PC43D DESKTOP PRINTER

Improve Productivity & Efficiency

Features:

- ▶▶ Printing: Direct Thermal printers, USB interface, LCD Display, Real-time clock, US power cord
- ▶▶ Print Resolution: 8 dots/mm (203 dpi) or 12 dots/mm (300 dpi)
- ▶▶ Printing Speed: Selectable up to 8 ips (203.2 mm/sec) for 203 dpi; 6 ips (152.4 mm/sec) for 300dpi



COLOUR PRINTER FOR HOSPITALS, FOOD MANUFACTURES AND TRADERS

Epson C3500 Colour Label Printer



Overview:

Whether you're printing labels, tickets or tags, the ColorWorks C3500 (TM-C3500) is designed to help your business print a wide variety of colourful labels in-house. Featuring high-quality print speeds of up to 103mm/sec and individual pigment ink cartridges, your business can save money on outsourcing label production, by printing labels on-demand.

EPSON

Features:

- ▶▶ **Durable Prints:** Long-lasting pigment ink
- ▶▶ **Fast print speeds:** Print labels at up to 103mm/sec
- ▶▶ **Matte, glossy and more:** Print on a wide variety of media
- ▶▶ **Easy operation:** LCD screen for ink and printer status
- ▶▶ **Cost Saving:** Individual ink cartridges



iLabel
Factory

PIONEERING LABELING
SOLUTION

We are Manufacturer of all Kinds of Labels



Label Types:

- ▶▶ Food Labels
- ▶▶ Barcode Labels
- ▶▶ Beverage Labels
- ▶▶ Cosmetic Labels
- ▶▶ Coffee & Tea Labels
- ▶▶ Water Bottle Labels
- ▶▶ Pharmaceutical Labels
- ▶▶ Household Product Labels



Pegasus Wireless Queue System

IMPROVE CUSTOMER EXPERIENCE AND GROW YOUR SALES

Overview:

Pegasus Standard Wireless Queue System can deliver faster service to customers, resulting in reduced costs and higher revenue, this model is economical, practical and light-weight easy move.

Pegasus Queue Management System is a wireless solution for customer flow management and analyzing. Your customers can utilize there time by shopping or browsing marketing material while queueing.



Features:

- ▶▶ Simply-equipped type especially custom-made
- ▶▶ Composed of ticket box, stand, display and manipulator
- ▶▶ Automatic save function while interrupting of power supply
- ▶▶ Competitive price and convenience to maintain




GIVE YOUR CUSTOMER A REAL VIP FEELING

Pegasus Queue Busting Solution



Features:

- ▶▶ Increase your customers loyalty.
- ▶▶ Innovative retailing for your customers.
- ▶▶ Extend the interaction with your customers.
- ▶▶ Make the shopping experience for your customer more interesting.





Cloud Version

A Simple VAT/GST Enabled Billing POS System For ALL your needs

Phomello LitePOS app provides an invoicing solution for different sectors of service industry like a restaurant, cafe's, saloons, hotels, spa, bars, food trucks, retail shops and other relevant sectors.

LitePOS is mobile friendly application available on android mobile platform. this application support all major kind of printers.



Restaurant & Cafe



Retail Solution



Payment Collection



Features



Phomello LitePOS

VAT/GST Billing for Bus Ticketing, Shop, Restaurant, Parking, VAT/GST return Filling

Phomello LitePOS app provides a smart and intuitive invoicing solution. Instant tokens, fast billing, staff management, customized taxes on individual items (perfect POS solution for VAT/GST) and discount creation, all this can be easily accomplished with one system.



Stand-Alone



Parking Solution




Van Sales Solution



Bus Ticketing

Features



CLOUD RESTAURANT, CAFE, VAT/GST BILLING POS SYSTEM

Phomello Cloud Restaurant



Overview:

After years of experience, a perfect solution Phomello Cloud Restaurant POS Software has been designed for standalone to Enterprise level restaurant chains.

Key Features:

- ▶ Highly Scalable for single restaurant to multi chain & Enterprise Restaurant.
- ▶ Table Management, Delivery, Drive thru, Take away, Fine dine.
- ▶ Integrated Modules, POS, Inventory system, Recipe Management & order Taking System.



Phomello Windows

ENTERTAINMENT PARK, GAMES, HEALTH CLUB & SPA POS SYSTEM



Overview:

The basic requirement of the hospitality business is a management system that is designed to meet key business demands and provide profitable growth for business.

Supported Industries:

Family Entertainment
Center

Theme Park

Health Clubs

Event Management

OPTIMIZE YOUR TIME
DON'T MANAGE IT

Time Man
Enterprise Time & Attendance Solutions



Complete Time & Attendance Solution

Overview:

TimeMan is a web based, Reliable, Fast & Easy to use attendance Solution. This Solution is designed for core retail, restaurant and government operations. It is flexible to use and can easily be set up to support a broad variety of attendance concepts and workflows. Our customers range from restaurants, schools, offices, hospitals and a wide range of industries which require time keeping and man management.



Apart from attendance records it provides you, automated emails for reports with late employee notification. Easy to generate report, user control & privilege, permission & approval facility, real time reports. Its simple approach, ease of use and rock-solid reliability makes TimeMan a great Solution for your needs.

Features:

- ▶▶ Automated Email Report
- ▶▶ Easy Device Management
- ▶▶ HR & Payroll
- ▶▶ Support Multiple Countries
- ▶▶ Support Multiple Languages
- ▶▶ Multiple Shift Management
- ▶▶ Real Time Report Generator
- ▶▶ User Control Privilege



Pegasus[®]

BIOMETRIC TERMINALS



Pegasus iFC-114 Fingerprint Attendance Terminal

Fingerprint Capacity: 1000/1500 (without SSR)
Finger Algorithm: PegasusFinger VX10.0
Record Capacity: 50,000
Display: 2.8-inch TFT Screen
Communication: Wi-Fi, USB-Host, USB-Client



Pegasus iPC-145 Palm Multi-Biometric

Display: 2.8-inch TFT Colour Display
Palm Capacity: 600 (Standard)
Fingerprint Capacity: 3,000
ID Card Capacity: 10,000 (Optional)
Logs Capacity: 100,000



Pegasus FFC-112 Facial and Finger TA & Access Control

CPU: Pegasus Multi-Bio CPU 630 MHz
Memory: 256M Flash, 64M SDRAM
Camera: High Resolution Infrared Camera
Display: 4.3" TFT touch screen
Face capacity: 3000 (1:N)
Fingerprint capacity: 5000



Pegasus iFC-113 Fingerprint TA & Access Control

RF Optional: 125kHz EM / 13.56MHz MF
Max User(1:N): 10,000
Max Fingerprint: (1:N) 3,000 Standard/
10,000 Optional
Max Record: 100,000

LET YOUR CUSTOMERS SKIP A STEP BY PEGASUS SELF SERVICE KIOSK

Pegasus Self Service Kiosk



Overview:

Consumers can select food or services using an intuitive touch screen terminal designed for self-service food environments in a matter of minutes.

Features:

- ▶ Flexible Options
- ▶ Completely Secure
- ▶ Standalone or fully Integrated
- ▶ Multifunctional for any restaurant



Pegasus Electronic Shelf Tags

THE NEW WAY OF LABELING



Features:

- ▶ Secure data transfer
- ▶ Instant display of changes
- ▶ Central price control and monitoring
- ▶ Comprehensive range of accessories

A Digital System used by Retailer to Transfer Product Information in Real Time to ESL Tags.

Pegasus PPT8527

Mobile Smart POS Terminal

Features:

Pegasus PPT8527 Smart POS Terminal is an Android Based Smart POS Terminal with Inbuilt Thermal Printer, NFC, SAM Slots, Barcode Scanner (Camera), Back Camera 5M AF, Bluetooth, Wifi & Mobile Data connectivity, SAM Slots, In Built Memory.

PPT8527 is configured with 4 Core 1.2 GHZ (Qualcomm Snapdragon 410 (MSM8916) is a ARM based) Processor to provide powerful processing capabilities. This product integrates MSR Card Reader, IC Card Reader, Contactless Card Reader, SAM Card Reader and high performance thermal printer.

Applications:


Restaurant

Super Market

Warehouse

Logistics

Book Store





3G Network




Bluetooth




WiFi



Pegasus Kuwait



Pegasus Dubai



Pegasus India

Contact Us:

Europe, Middle East & Africa:

Kuwait:

Pegasus International Computer Co.
Ahmed Al Jaber street, Al Medina tower,
3rd floor Kuwait city P.O.Box: 12459 Shamiya
Tel : +965 2247 9255, Mob: +965 995 343 88

ShowRoom:

Al-Dahani Complex, Shop No.6,
Behind Avenues,
Near Family Care, Al-Rai, Kuwait
Email: mkt@PegasusTech.net

Dubai

POS Scan Computer Trading
Khalid Bin Waleed Road, Mohammed Noor
Taleb Building, 6th Floor, Office 606, Bur Dubai
P.O.Box: 90701, Dubai
Tel: +971 4 3266366,
Mobile: +971 558838749, +971 508447624
Email: mkt@PosGulf.com

Asia and the Pacific:

India

Pegasus Turnkey Solution Pvt. Ltd.
263-A, New Polo Ground, Saheli Nagar, Udaipur-313004,
Rajasthan, India.
Mobile: + 91 9413138675
Email: SSin1@PegasusTech.net