

# Realtime Insight Into your Business



**ZEBRA**

**Honeywell**

**DATALOGIC**

Follow & Like us:

Facebook.com/PegasusTek    LinkedIn.com/in/Pegasustech    Youtube.com/user/MrPurbia

Get Rewards on  
online  
Registration

[www.PosGulf.com](http://www.PosGulf.com)

# ABOUT COMPANY

REACH YOUR GOAL  
WITH US



**Pegasus** is the Leading Provider of technology solutions. From enterprise infrastructure to retail store-level technology, Pegasus has an extensive team of dedicated professional.

Pegasus has a strong presence in the retail industry. We offer a full range of professional service to retailers.



## PEGASUS POWERPOS PP1510 POS TERMINAL

### POS Features:

Pegasus POS is a modern True Flat PCAP touch and powerful point of sale system designed with Intel® 7th generation Celeron®, Core™ i3 and Core™ i5 processors.

Intel® Celeron® 3965U 2M	4GB Standard, Max 32GB	2xM.2 E Key 802.11ac+BT (Op)	15.6" TFT, 1920x1080, W-10
-----------------------------	---------------------------	---------------------------------	-------------------------------



## POINT OF SALE SYSTEMS



**Pegasus BestPOS B8110**  
CPU: i5-6360U/i3/i5, Memory: upto 8GB  
Hdd: 1x2.5" SATA HDD, SSD SATA Interface  
Display: 15.6" 5 wire resistive or capacitive



**Pegasus B9000 Hybrid POS**  
CPU : Whiskey Lake Celeron 4305U  
HDD : 128GB eMMC/32GB eMMC,upto 8GB  
Display : 11.6" / 13.3" 1920x1080



**Pegasus EverPOS EP1510**  
CPU: Intel® Core™ i5-12500TE 18M  
Memory: 4GB, Max 32 GB DDR4  
Display:15" True-Flat PCAP 1024x768



**Pegasus ZPOS Z730 Series**  
CPU : Intel Core i5, Dual Core 2.4  
HDD : MSata 128GB, RAM DDR3 8GB  
Display : 21.5" LED TFT (1920x1080) Cap. Touch



## POS HARDWARES



**Pegasus KB-67/KB-78/KB-112 Programmable Keyboard**  
With 66/78/112 Cherry MX keys based on Gold crosspoint technology and have tactile feeling. Different relegendable



**Pegasus H-701 & VFD Customer Display**  
Large Display 20x2 line support  
Built-in 7 inches TFT panel  
Resolution: 480x243x3 (RGB) able to accept



**Pegasus Cash Drawer**  
Heavy duty metal drawer with key lock.  
Spring loaded bill chip & detachable coin tray, Tray:4/6Bill, 8 Coin, Slip slot:1  
Material: Steel Body, Tray: ABS plastic



**Pegasus Bluetooth Cash Drawer**  
Heavy duty metal drawer with key lock.  
Spring loaded bill chip & detachable coin tray, Tray:4/6Bill, 8 Coin, Slip slot:1  
Material: Steel Body, Tray: ABS plastic



## ENCORDERS & CARD READER



**Pegasus MCE-2011 3 Tracks Mini Magnetic Reader/Writer/Encoder**  
Interface: RS232/USB  
Swipe speed: 10-150 cm/seconds (Read)  
Recording density: 210 BPI, 75 BPI, 210 BPI  
10-100 cm/seconds (Write)



**Pegasus MCR-1011 Mini Magnetic Card Reader 3 Tracks**  
Interface: RS232/PS2/USB  
Operation speed: 14-140 cm/seconds  
(6-50 inch/seconds)  
Card standard: ISO 7811/2



**Pegasus DU101 UHF RFID Desktop Reader**  
Neat and tiny casing  
Support ISO18000-6C protocol RS232/RJ45  
multiple interface communication port  
Electronics Tickets, Card sending



**Pegasus PCR-3900 Series Smart Card Reader**  
Host Interface: USB 2.0 full speed (12 Mbps)  
Smart Card Connector: 100,000 insertion cycles EMV Level 1 mechanically compliant  
Smart Card Interface: Reads from and writes





# WIRELESS BARCODE SCANNERS



**Pegasus PS1600 Voya 2D**  
Can interpret a variety of 1D & 2D code,  
Paired mobile phone/tablet computer/Laptop  
Wireless distance of Bluetooth 100 meter



**Pegasus PS3290**  
Read all 1D and 2D barcodes easily from  
Paper as well as other devices displays  
Various scanning modes fulfill needs



**Pegasus PS2260 1D**  
1D CCD Scanner Engine  
Works with bluetooth enabled PDAs,  
Bluetooth long range wireless connection



**Pegasus PS3260 2D**  
Wireless 2D Laser Scanner  
Rugged & Shock Proof Design  
Wireless range about 30-60 feet



# WIRED BARCODE SCANNERS



**Pegasus PS5161 2D Wired**  
High CMOS imaging technology  
Scan various 1D and 2D Barcodes  
Plug and play, easy to operate and match



**Pegasus PSi500 Rugged**  
Laser: 650nm Laser Diode  
Decode capability: all major 1D barcode  
Scan rate: 100 scans/second



**Pegasus PS4260 Soar 2D**  
Fast scan, improve work efficiency  
Hands-free and handheld modes  
High precision, easy and accurate



**Pegasus PS3113 2D Imager**  
Read from Mobile & Laptops  
Ergonomic, snappy and stylish design  
Decode capability: Read all major 1D & 2D



# RUGGED BARCODE SCANNERS



**Zebra LS2208 Handheld Barcode Scanner**  
scanner type : bi-directional  
Light source : 650nm visiblelaser diode  
scan element : 100 scans/sec typical



**Zebra DS3608DR Ultra Rugged Cordless Scanner**  
Drop Specification: Withstands multiple  
8.0 ft./2.4 m drops to concrete  
Tumble Specification: 5000 tumbles



**Zebra DS2278 2D Barcode Scanner**  
Motion Tolerance: Up to 5 in./13 cm.  
Swipe Speed: Up to 30.0 in./76.2 cm.  
Light Sources: Linear 624nm Amber LED



**Zebra DS8108 Corded Bluetooth Scanner**  
Light Source: Aiming Pattern circular 617nm  
amber LED, Bluetooth - Class 1 330 ft./100m  
Scanning range: up to 24 in./61 cm



# HEALTHCARE BARCODE SCANNERS



**Zebra DS4608-HC Healthcare Scanner**  
Light Source: Aiming pattern - circular  
528nm true green LED  
Imager Field of View: 35° (H) x 22 (V)



**Zebra CS60-HC Cordless And Portable Scanner**  
Light Source: Aiming Pattern: circular 525nm  
true green LED, Bluetooth : Class 1 330ft.  
(100m) and Class 2 33ft. (10m)



**Pegasus PS3216H Wireless Healthcare Scanner**  
Light Source: 617nm LED Aimer, White LED  
Scan Type: Image CMOS  
Scanning Speed: >25 inch / 63cm/second



**Pegasus PS3116H Wired Healthcare Scanner**  
Light Source: 617nm LED Aimer, White LED  
Scanning Principle: Image CMOS, Connecting  
Cable Length: 2 Meter

## Pegasus PS3131 Cordless Image Scanner

MAXIMUM DATA CAPTURE  
WITH ACCURACY



### Features:

- Stylish and ergonomic design, small base saves installation space
- Read all common 1D/2D barcodes from paper Labels and electronic screens
- Working range reaches up to 100 meters
- Support point-to-point and multi-point data transmission



## Pegasus Queue System

STREAMLINE YOUR  
QUEUE WITH US

Time-saving for Customers, Boost staff Productivity

### Ideal For App:

- Bank
- Clinic
- Hospital
- Sales Counter
- Government Office
- Support-8 Services





Honeywell HANDHELD BARCODE SCANNERS



**Honeywell Voyager MS9540**  
Scan Pattern: Single scan line  
Scan Speed: 72 scan lines per second  
Decode Capability: Reads standard 1D GS1



**Honeywell Voyager 1202G**  
Bluetooth / Wireless Bar code reader  
Decoding Capability 1D bar codes  
Minimum Bar width: 10meter



**Honeywell 1470G**  
Motion Tolerance : 70 cm/s (27.6 in/s) for 13 mil UPC at optimal focus  
Drop Spec: 30 1.8 m (6 ft) drops to concrete



**Honeywell Xenon 1472G**  
Motion Tolerance: 70 cm/s (27.6 in/s) for 13 mil UPC at optimal focus, Scan Pattern: Area Image  
Depth of Field :0.2 - 15.8 in

DATALOGIC HANDHELD & PRESENTATION BARCODE SCANNERS



**QuickScan Lite QW2400**  
Imager Sensor Field of View: 48 x 37° (H x V)  
Wide VGA: 640 x 480 pixels  
Light Source Aiming: 1 Blue LED



**Datalogic GM4100**  
Light Source Illumination: LED Array  
630 - 670 nm, Print Contrast Ratio (Min.)15%  
Read Rate (Max.): 325 reads/second



**Datalogic QuickScan QD2590**  
Interface : Keyboard wedge, RS-232, USB  
Drop Specification: 5 feet to concrete  
Scan Element Type:2D imager - Red LED



**Datalogic Magellan 3200VSi**  
Light Source: Illumination Multiple diffused  
625nm LEDs  
Read Rate (Max) 39 Million pixels per second

Honeywell OMNI DIRECTIONAL BARCODE SCANNERS ZEBRA



**Honeywell Orbit 7190G**  
Scan Pattern: Hybrid, Omnidirectional  
Laser (5 fields of 4 parallel lines) and Area Imager (640x480 pixel array)



**Pegasus PS3316 2D**  
Light Sources: 630nm red LED  
Scan Mode: Automatic inductive  
Interfaces: USB HID/USB -COM/RS-232



**Honeywell Solaris 7980g**  
Scan Pattern: Area image (1280x960 array)  
Motion Tolere.: 13mil at optimal focal point  
Scan Angle: Horizontal: 42°; Vertical: 34°



**Zebra DS7708 Imager**  
Light Source: Two deep red LEDs (660nm)  
Swipe Speed: Up to 100 in./sec (254 cm/s)  
Decoding ability:1D, 2D and PDF417

Pegasus DATA COLLECTORS



**Pegasus DC7010**  
CPU: 32 bit CPU, with 512K Program  
Memory: 2M Byte SRAM  
Display: 128x128 graphic dots FSTN



**Pegasus DC802**  
Transmission Distance: 30-100M (Open)  
Interface: Receiver USB-HID  
Bluetooth : HID, BLE, SPP



**Pegasus DC8055**  
Light source: Visible red light, 632nm  
Sensor Linear: CCD Sensor  
FLASH Storage:16MB (50,000 Codes)



**Pegasus DC-7000**  
2D Bluetooth advanced CMOS Sensor  
Connected Laptop, Mobile, Tablet, iPhone  
Manual Scan & Auto-sensing & Continuous.

PLUG & PLAY WIRELESS  
THAT CAN READ 2D BARCODE

Pegasus DC9055  
Data Collector



**Overview:**  
Pegasus DC9055 2D wireless barcode collector is combines a wireless barcode scanner with a variety of commonly used wireless barcode data collector functions allowing users to use it directly without any programming. It is equipped with a keyboard and screen to solve the functions that traditional wireless barcode scanners cannot solve.



Pegasus AC7500  
Android 4G Terminal

EASY & FLEXIBLE  
DATA ENTRY



**Features:**  
► New-generation rugged handheld computer. Built with Android 9.0 OS and Qualcomm Octa-Core.  
► It's allows optional barcode scanning, RFID, NFC, etc.. With robust data collection capability and high-powered dual-band WIFI.





# HANDHELD MOBILE COMPUTERS



**Pegasus AC9121 Handheld Mobile Terminal**  
CPU: Quad Core, OS: Android 4.3/5.1, 3.5" 480\*640, Storage: 1GB RAM+4G ROM



**Pegasus AC110 Mobile Intelligent Terminal**  
CPU: Qual. 8909 Cortex-A7, Android 7.1, 4" 800\*480, Storage: 1GB RAM+8G ROM



**Pegasus AC6712 Android RFID Handheld Terminal**  
CPU: Octa Core, OS: Android 10, Dis: 5.5" Storage: 2GB RAM+16GB ROM, Camera: 5.0



**Pegasus PPT8555 Smart Android 4G POS Terminal**  
CPU: MTK MT6580, OS: Android 6.0 Printer: 58mm Thermal Receipt, 5.5" Screen



# HANDHELD MOBILE COMPUTERS



**Zebra MC3300**  
CPU: Qualcomm 8056 1.8 GHz hexa-core OS: Android 7.0 (Nougat) Memory: 2GB/16GB Standard



**Zebra TC22/27 Series**  
CPU: Qualcomm® 5430 hex-core, 2.1 GHz OS: Android 16 Memory: 6 GB RAM/64 GB Flash



**Zebra RFD9030 Ultra Rugged**  
Ip65 (spray) or IP67 (submersion) Multiple 6 ft./1.8 m drops to concrete Wi-Fi 6, Bluetooth 5.3, NFC tap-to-pair



**Zebra MC9300 Rugged**  
CPU: Qcom S-dragon™ 660 Octa-Core, 2.2 Memory: 4 GB / 32 GB (RAM/Flash) OS: Android 8.1 Oreo



# HANDHELD COMPUTERS



**Datalogic Memor K**  
CPU: 2 GHz, Quad/Octa, 3GB RAM/32GB Display: 4 inch capacitive multi-touch OS: Android 9



**Datalogic Scorpio X5**  
Microprocessor: TI OMAP4 @ 1 GHz OS: Microsoft Windows Embedded Memory RAM: 1 GB, Flash: 8 GB



**Datalogic Joya Touch A6**  
Microprocessor: XScale™ PXA310 @ 806 MHz; 32 bit Memory RAM: 512MB, Flash: 512MB



**Datalogic Falcon X3+**  
XScale(TM) PXA310 806 MHz and cortex-m3 OS: Microsoft Windows CE 6.0 Memory: System RAM: 256 MB



# HANDHELD MOBILE COMPUTERS



**Honeywell CK65**  
CPU: 2.2 GHz Qualcomm® 64-bit octa-core OS: Android 8.0 Oreo Memory: 2GB/4GB DDR4 RAM, 32GB Flash



**Honeywell Scanpal EDA52**  
CPU: Qualcomm Snapdragon SM6115 OS: Android 11 Memory: MicroSD (up to 128 GB)



**Honeywell Dolphin CN80**  
CPU: 2.2 GHz Qual® Snap. 660 octa-core OS: Android 7.1 Memory: 3 GB/4 GB RAM, 32 GB Flash



**Honeywell Dolphin CT60**  
CPU: 2.2 GHz Qual® Snap. 660 octa-core OS: Android 7.1 Memory: 3GB/4GB DDR4 RAM, 32GB Flash

## MOBILE SOFTWARE DEVELOPMENT IN MINUTES

## Pegasus iDataCollector



### Features:

- ▶ User Customize modules, Easy Setup By Cloud
- ▶ Ware house modules : Goods Receiving, Transfers,
- ▶ Stock Checking, Price Checking, & Delivery modules



## Pegasus GeoWork System

## TRACK YOUR STAFF, VEHICLES AND STAFF WORKS



### Features:

- ▶ Unlimited Contacts
- ▶ Live Tracking
- ▶ Manage Outdoor
- ▶ Automated Email and SMS
- ▶ Online Messaging
- ▶ Track Order





DESKTOP LABEL PRINTERS



**Zebra ZD410 Printer**  
Print Method: Direct Thermal print method  
Resolution: 203 dpi/8 dots per mm, 2.2"  
Memory: 512 MB Flash; 256 MB SDRAM



**Zebra ZD220 Printer**  
Print Method: Direct thermal and thermal transfer printer,Speed: 4"/102 mm per sec.  
Resolution: 203 dpi/8 dots per mm



**Zebra ZD421 Printer**  
Print Method: Thermal Transfer or DT  
Resolution: 203 dpi/8 dots per mm  
Memory: 512 MB Flash, 256MB SDRAM



**Zebra ZD620D/T Printer**  
Print methods: Direct thermal and Thermal transfer Printer, Memory: 512MB Standard  
Resolution: 203 dpi/8 dots per mm



INDUSTRIAL LABEL PRINTERS



**Zebra ZD510-HC (Healthcare) Patient ID Solution**  
Printing: Direct thermal printing of Barcodes, text and graphics,USB, Ethernet



**Zebra ZT600 Series Industrial Printer**  
Print Method : Thermal transfer and direct Thermal printing,Memory: 1GB RAM Memory



**Zebra ZT400 Series Industrial Printer**  
Print Method : Thermal transfer and direct Thermal printing, Memory: 256MB SDRAM



**Zebra ZT500 Series Industrial Printer**  
Print Method : Thermal transfer and direct Thermal printing, Memory: 512 MB RAM



CARD PRINTERS



**Zebra ZXP Series 9**  
Printing: Full Color, Single-and dual sided  
Print Resolution:304 dpi (12.0 dots/mm)  
Memory:64 MB memory standard



**Zebra ZC100 Card Printer**  
Printing: Dye-sublimation thermal transfer direct to card print method  
Full-color or monochrome printing



**Zebra ZC300 Card Printer**  
Printing: Dye-sublimation thermal transfer direct to card print method  
Full-color or monochrome printing



**Pegasus PCP Series**  
Printing: Direct to card Dye-sublimation/ Resin thermal transfer, Single or Dual sided Edge to Edge printing, 128MB memory



PEGASUS MOBILE PRINTERS & PRICE CHECKERS



**Pegasus MI803 Direct Thermal Mobile Printer**  
Printing: Thermal Line, Speed:70 mm/sec  
Resolution: 203dpi(8 dot/mm)



**Pegasus PR8001 Thermal Mobile Printer**  
Printing: Thermal Line, Speed: 75mm/Sec.  
Resolution: (8dots/mm203dpi)



**Zebra CC600 Customer Concierge Self-Service**  
Display: 5.0" PCAP multi-touch,1280x720  
Android:10, RAM:4GB, Internal:32GB



**Pegasus Price Checker PC230**  
Display: 10.1" HD LED Screen,1280x800  
Android: 7.1, Standard 2GB RAM+8GB ROM

PIONEERING LABELING SOLUTION



We are Manufacturer of all Kinds of Labels

Features:

- Food Labels
- Barcode Labels
- Beverage Labels
- Cosmetic Labels
- Coffee & Tea Labels
- Water Bottle Labels
- Pharmaceutical Labels



ORGANIZE YOUR TIME AND MANAGE IT EFFECTIVELY

Mobile Attendance Solution

App Features:

- Android Cloud based App
- Capture Live image always
- Face, Finger & Passcode
- Get Live Location while on Attendance





ZEBRA MOBILE PRINTERS



**Zebra ZQ500 Series Mobile Printer**

Printing: Direct thermal printing of barcodes, Text and graphics, Print Resolution: 203 dpi



**Zebra ZQ600 Series Mobile Printer**

Printing: Direct thermal printing of barcodes, text and graphics, Print Resolution: 203dpi/8



**Zebra ZQ220 Series Mobile Computer**

Printing: Direct thermal printing of barcodes, text and graphics, Print Resolution: 203dpi



**Zebra ZQ320 Mobile Printer**

Printing Method: Direct Thermal  
Resolution: 203 dpi/8 dots mm  
Memory: 128MB RAM, 256MB Flash

EPSON RECEIPT PRINTERS



**Epson TM-T20III Thermal Receipt Printer**

Print Method: Thermal Line  
Printing Print Speed: 250 mm/sec



**Epson TM-88Vii Thermal Receipt Printer**

Print speeds up to 500mm/sec, High speed  
Auto cutter, Online Ordering Ready



**Epson TM-U220A/B Dot-Matrix Impact Printer**

Easy drop-in paper loading two-color black  
and red printing Impactful logo printing

NEW



**Pegasus PR8001 Thermal Receipt Printer**

Printing Method: Thermal Line  
300 mm/s – ultra high-speed printing  
USB & 100M Ethernet connection



PEGASUS BP-420 BARCODE PRINTER

Overview

Pegasus BP420 is available in both direct thermal and thermal transfer. It contains a powerful 32-bit processor for fast label throughout and 8MB flash memory for increased storage of fonts and graphics.

Features

- 300 meters ribbon capacity
- Head-up sensor and platen replacement
- Dual-motor gear driver design
- Free bundled Labeling software and windows drivers.

NEW



BIOMETRIC TERMINALS

NEW



**Pegasus FR231 Face Attendance Terminal**

Face Capacity: 2000/5000/10000  
Display: 4.3" Touch Screen



**Pegasus FFC-112 Facial and Finger TA & Access Control**

Face Capacity: 3000 (1:N) Fingerprint: 5000  
Display: 4.3" TFT touch Screen



OPTIMIZE YOUR TIME  
DON'T MANAGE IT

Complete Time & Attendance Solution

Overview:

TimeMan is a web based, Reliable, Fast & Easy to use attendance Solution. This Solution is designed for core retail, restaurant and government operations. It is flexible to use and can easily be set up to support a broad variety of attendance concepts and workflow.

A SIMPLE VAT/GST ENABLED BILLING  
POS SYSTEM FOR ALL YOUR NEEDS



Phomello Cloud  
Restaurant



Features



Supported Industries



ENTERTAINMENT PARK, GAMES,  
HEALTH CLUB & SPA POS SYSTEM

Phomello  
Windows



Features:

The basic requirement of the hospitality business is a management system that is designed to meet key business demands and provide profitable growth for business.

Supported Industries:



# Pegasus RFID Solutions



# Pegasus SC-311 Retail Self Service Kiosk



RFID Asset Tracking



RFID Document Management



Jewellery Label RFID Solution



RFID Warehousing Solution

## Save Your Time & Grow Your Business

**RFID has several components:**

There are 3 primary components to a RFID tag:

- ▶ The Antenna to transmit data
- ▶ The RFID chip for storing data
- ▶ The Label to attach the tag to an object



**Features:**

- ▶ Touch Screen: Projected Capacitive Touch
- ▶ Printer: 80mm Thermal Printer w/Auto Cutter
- ▶ Stand: Standing Pole (Tray Table Supported), Desktop Shelf, Wall Mounting Vesa, Stainless Steel Cabinet (Security Scale Supported, 60KG, 1/3000 FS)







**Pegasus Kuwait**



**Pegasus Dubai**



**Pegasus India**

## Contact Us:

### Europe, Middle East & Africa:



**Kuwait:**  
Pegasus International Computer Co.  
Ahmed Al Jaber street, Al Madina tower,  
3rd floor Kuwait city P.O.Box: 12459 Shamiya  
Tel : +965 2247 9255, Mob: +965 995 343 88



**Dubai**  
POS Scan Computer Trading  
Khalid Bin Waleed Road, Mohammed Noor  
Taleb Building, 6th Floor, Office 606, Bur Dubai  
P.O.Box: 90701, Dubai  
Tel: +971 4 3266366,  
Mobile: +971 558838749, +971 508447624  
Email: mkt@PosGulf.com



**India**  
Pegasus Turnkey Solution Pvt. Ltd.  
263-A, New Polo Ground, Saheli Nagar, Udaipur-313004,  
Rajasthan, India.  
Mobile: + 91 9413138675  
Email: mkt@PegasusTech.net