

Realtime Insight Into your Business



ZEBRA

Honeywell

Pegasus®

Follow & Like us:

Facebook.com/PegasusTek

Linkedin.com/in/PegasusTech

Youtube.com/user/MrPurbia

Get Rewards on
online
Registration

ABOUT COMPANY

REACH YOUR GOAL WITH US



Pegasus is the Leading Provider of technology solutions. From enterprise infrastructure to retail store-level technology, Pegasus has an extensive team of dedicated professional.

Pegasus has a strong presence in the retail industry. We offer a full range of professional service to retailers.



PEGASUS POWERPOS PP1510 POS TERMINAL

POS Features:

Pegasus POS is a modern True Flat PCAP touch and powerful point of sale system designed with Intel® 7th generation Celeron®, Core™ i3 and Core™ i5 processors.

Intel® Celeron® 3965U 2M	4GB Standard, Max 32GB	2xM.2 E Key 802.11ac+BT (Op)	15.6" TFT, 1920x1080, W-10
-----------------------------	---------------------------	---------------------------------	-------------------------------



POINT OF SALE SYSTEMS



Pegasus BestPOS B8110
CPU: i5-6360U/i3/i5, Memory: upto 8GB
Hdd: 1x2.5" SATA HDD, SSD SATA Interface
Display: 15.6" 5 wire resistive or capacitive



Pegasus B9000 Hybrid POS
CPU : Whiskey Lake Celeron 4305U
HDD : 128GB eMMC/32GB eMMC,upto 8GB
Display : 11.6" / 13.3" 1920x1080



Pegasus EverPOS EP1510
CPU: Intel® Core™ i5-12500TE 18M
Memory: 4GB, Max 32 GB DDR4
Display:15" True-Flat PCAP 1024x768



Pegasus New PowerPos PPA51
CPU : Intel® Intel core i3/i5/i7
HDD: 64G/128G/256G/512G SSD (optional)
Display : 15.6" LED (1366*768), capacitive touch



POS HARDWARES



Pegasus KB-67/KB-78/KB-112 Programmable Keyboard
With 66/78/112 Cherry MX keys based on Gold crosspoint technology and have tactile feeling. Different relegendable



Pegasus H-701 & VFD Customer Display
Large Display 20x2 line support
Built-in 7 inches TFT panel
Resolution: 480x243x3 (RGB) able to accept



Pegasus Cash Drawer
Heavy duty metal drawer with key lock.
Spring loaded bill chip & detachable coin tray. Tray:4/6Bill, 8 Coin, Slip slot:1
Material: Steel Body, Tray: ABS plastic



Pegasus Bluetooth Cash Drawer
Heavy duty metal drawer with key lock.
Spring loaded bill chip & detachable coin tray. Tray:4/6Bill, 8 Coin, Slip slot:1
Material: Steel Body, Tray: ABS plastic



ENCORDERS & CARD READER



Pegasus MCE-2011 3 Tracks Mini Magnetic Reader/Writer/Encoder
Interface: RS232/USB
Swipe speed: 10-150 cm/seconds (Read)
Recording density: 210 BPI, 75 BPI, 210 BPI
10-100 cm/seconds (Write)



Pegasus MCR-1011 Mini Magnetic Card Reader 3 Tracks
Interface: RS232/PS2/USB
Operation speed: 14-140 cm/seconds
(6-50 inch/seconds)
Card standard: ISO 7811/2



Pegasus DU101 UHF RFID Desktop Reader
Neat and tiny casing
Support ISO18000-6C protocol RS232/RJ45
multiple interface communication port
Electronics Tickets, Card sending



Pegasus PCR-3900 Series Smart Card Reader
Host Interface: USB 2.0 full speed (12 Mbps)
Smart Card Connector: 100,000 insertion cycles EMV Level 1 mechanically compliant
Smart Card Interface: Reads from and writes





WIRELESS BARCODE SCANNERS



Pegasus PS1600 Voya 2D
Can interpret a variety of 1D & 2D code,
Paired mobile phone/tablet computer/Laptop
Wireless distance of Bluetooth 100 meter



Pegasus New PS3290 2D
Read all 1D and 2D barcodes easily from
Paper as well as other devices displays
Various scanning modes fulfill needs



Pegasus PS2260 1D
1D CCD Scanner Engine
Works with bluetooth enabled PDAs,
Bluetooth long range wireless connection



Pegasus PS3260 2D
Wireless 2D Laser Scanner
Rugged & Shock Proof Design
Wireless range about 30-60 feet



WIRED BARCODE SCANNERS



Pegasus PS6260 2D Wireless
High CMOS imaging technology
Scan various 1D and 2D Barcodes
Plug and play, easy to operate and match



Pegasus PSi500 Rugged
Laser: 650nm Laser Diode
Decode capability: all major 1D barcode
Scan rate: 100 scans/second



Pegasus PS4260 Soar 2D
Fast scan, improve work efficiency
Hands-free and handheld modes
High precision, easy and accurate



Pegasus PS3113 2D Imager
Read from Mobile & Laptops
Ergonomic, snappy and stylish design
Decode capability: Read all major 1D & 2D



RUGGED BARCODE SCANNERS



Zebra LS2208 Handheld Barcode Scanner
scanner type : bi-directional
Light source : 650nm visiblelaser diode
scan element : 100 scans/sec typical



Zebra DS3608DR Ultra Rugged Cordless Scanner
Drop Specification: Withstands multiple
8.0 ft./2.4 m drops to concrete
Tumble Specification: 5000 tumbles



Zebra DS2278 2D Barcode Scanner
Motion Tolerance: Up to 5 in./13 cm.
Swipe Speed: Up to 30.0 in./76.2 cm.
Light Sources: Linear 624nm Amber LED



Zebra DS8108 Corded Bluetooth Scanner
Light Source: Aiming Pattern circular 617nm
amber LED, Bluetooth - Class 1 330 ft./100m
Scanning range: up to 24 in./61 cm



HEALTHCARE BARCODE SCANNERS



Zebra DS4608-HC Healthcare Scanner
Light Source: Aiming pattern - circular
528nm true green LED
Imager Field of View: 35° (H) x 22 (V)



Zebra CS60-HC Cordless And Portable Scanner
Light Source: Aiming Pattern: circular 525nm
true green LED, Bluetooth : Class 1 330ft.
(100m) and Class 2 33ft. (10m)



Pegasus PS3216H Wireless Healthcare Scanner
Light Source: 617nm LED Aimer, White LED
Scan Type: Image CMOS
Scanning Speed: >25 inch / 63cm/second



Pegasus PS3116H Wired Healthcare Scanner
Light Source: 617nm LED Aimer, White LED
Scanning Principle: Image CMOS, Connecting
Cable Length: 2 Meter

Pegasus PS3131
Cordless Image Scanner

MAXIMUM DATA CAPTURE
WITH ACCURACY



Features:

- Stylish and ergonomic design, small base saves installation space
- Read all common 1D/2D barcodes from paper Labels and electronic screens
- Working range reaches up to 100 meters
- Support point-to-point and multi-point data transmission



Pegasus
Queue System

STREAMLINE YOUR
QUEUE WITH US

Time-saving for Customers, Boost staff Productivity

Ideal For App:

- Bank
- Clinic
- Hospital
- Sales Counter
- Government Office
- Support-8 Services



Honeywell

HANDHELD BARCODE SCANNERS



1D

Honeywell Voyager MS9540
Scan Pattern: Single scan line
Scan Speed: 72 scan lines per second
Decode Capability: Reads standard 1D GS1

Bluetooth 1D

Honeywell Voyager 1202G
Bluetooth / Wireless Bar code reader
Decoding Capability 1D bar codes
Minimum Bar width: 10meter

2D

Honeywell 1470G
Motion Tolerance : 70 cm/s (27.6 in/s) for 13 mil UPC at optimal focus
Drop Spec: 30 1.8 m (6 ft) drops to concrete

Bluetooth 2D

Honeywell Xenon 1472G
Motion Tolerance: 70 cm/s (27.6 in/s) for 13 mil UPC at optimal focus, Scan Pattern: Area Image
Depth of Field :0.2 - 15.8 in

DATALOGIC

HANDHELD & PRESENTATION BARCODE SCANNERS

2D

QuickScan Lite QW2400
Imager Sensor Field of View: 48 x 37° (H x V)
Wide VGA: 640 x 480 pixels
Light Source Aiming: 1 Blue LED

1D

Datalogic GM4100
Light Source Illumination: LED Array
630 - 670 nm, Print Contrast Ratio (Min.)15%
Read Rate (Max.): 325 reads/second

2D

Datalogic QuickScan QD2590
Interface : Keyboard wedge, RS-232, USB
Drop Specification: 5 feet to concrete
Scan Element Type:2D imager - Red LED

2D

Datalogic Magellan 3200VSi
Light Source: Illumination Multiple diffused
625nm LEDs
Read Rate (Max) 39 Million pixels per second

Honeywell

OMNI DIRECTIONAL BARCODE SCANNERS

ZEBRA

NEW

Pegasus PS3516 2D
Scan Pattern: Hybrid, Omnidirectional
Laser (5 fields of 4 parallel lines) and Area Imager (640x480 pixel array)

2D

Pegasus PS3316 2D
Light Sources: 630nm red LED
Scan Mode: Automatic inductive
Interfaces: USB HID/USB -COM/RS-232

2D

Honeywell Solaris 7980g
Scan Pattern: Area image (1280x960 array)
Motion Tolere.: 13mil at optimal focal point
Scan Angle: Horizontal: 42°; Vertical: 34°

2D

Zebra DS7708 Imager
Light Source: Two deep red LEDs (660nm)
Swipe Speed: Up to 100 in./sec (254 cm/s)
Decoding ability:1D, 2D and PDF417

Pegasus®

DATA COLLECTORS & MOBILE CLIP

Bluetooth 2D

Pegasus DC7010
CPU: 32 bit CPU, with 512K Program
Memory: 2M Byte SRAM
Display: 128x128 graphic dots FSTN

NEW Bluetooth 2D

Pegasus DC9S44
Transmission Distance: 30-100M (Open)
Interface: Receiver USB-HID
Bluetooth : HID, BLE, SPP

NEW Bluetooth 2D

Pegasus PS32M 2D Mobile Clip
Light Source White LED lighting decoding
Interface Receiver USB-HID
Bluetooth: HID, BLE, SPP

NEW Bluetooth 2D

Pegasus DC9055/8055
2D Bluetooth advanced CMOS Sensor
Connected Laptop, Mobile, Tablet, iPhone
Manual Scan & Auto-sensing & Continuous.

ON-DEMAND, CUSTOMIZABLE
COLOR LABELS

Epson Colorworks
C4000 Color Label Printer

BEST DEAL

Pegasus AC7500
Android 4G Terminal

EASY & FLEXIBLE
DATA ENTRY

Features:

▶ New-generation rugged handheld computer. Built with Android 11 OS and Qualcomm Octa-Core.

▶ RAM+ROM 3GB+32GB/4GB+64GB, RFID, NFC, etc.. With robust data collection capability and High-powered dual-band WIFI.

Android 4G WiFi NFC RFID

Pegasus®

mkt@PegasusTech.net

3

www.PegasusTech.net



HANDHELD MOBILE COMPUTERS & TABLET



NEW



Pegasus AC14 Mobile Intelligent Terminal
CPU: 5G(MTK900)/4G(MTK6762), Android 12
5.7",Storage:6GB RAM+64G Memory



NEW



Pegasus AC6712 Android RFID Handheld Terminal
CPU: Octa Core, OS: Android 10, Dis:5.5"
Storage: 4GB RAM+64GB ROM,Camera:5.0



NEW



Pegasus PPT8525 Android Smart POS Terminal
Phomello TriggerPOS Std App Include 1year
CPU: MTK 1.3GHz Quad core, Android 13
Display 5.5" IPS qHD 960x540 multi-touch



NEW



Pegasus PWT9000 10.1 Inch Rugged Tablet PC
CPU : Intel Core™ i5-8250U/i7-8550U
Display : 10.1" IPS 16:10, 1920x1200/1280x800
Storage : 8GB/16GB, Camera 2.0MP Rear 8.0MP



HANDHELD MOBILE COMPUTERS



NEW



Zebra MC3300
CPU: Qualcomm 8056 1.8 GHz hexa-core
OS: Android 7.0 (Nougat)
Memory: 2GB/16GB Standard



Zebra TC22/27 / TC15 Series
CPU: Qualcomm® 5430 hex-core, 2.1 GHz
OS: Android 16
Memory: 6GB RAM/8GB Flash, 64GB/128



Zebra RFD9030 Ultra Rugged
Ip65 (spray) or IP67 (submersion)
Multiple 6 ft./1.8 m drops to concrete
Wi-Fi 6, Bluetooth 5.3, NFC tap-to-pair



Zebra MC9300 Rugged
CPU: Qcom S-dragon™ 660 Octa-Core, 2.2
Memory: 4 GB / 32 GB (RAM/Flash)
OS: Android 8.1 Oreo



HANDHELD COMPUTERS



NEW



Datalogic Memor K
CPU: 2 GHz, Quad/Octa, 3GB RAM/32GB
Display: 4 inch capacitive multi-touch
OS: Android 9



NEW



Datalogic Scorpio X5
Microprocessor: TI OMAP4 @ 1 GHz
OS: Microsoft Windows Embedded
Memory RAM: 1 GB, Flash: 8 GB



Datalogic Joya Touch A6
Microprocessor: XScale™ PXA310 @
806 MHz; 32 bit
Memory RAM: 512MB, Flash: 512MB



Datalogic Falcon X3+
XScale(TM) PXA310 806 MHz and cortex-m3
OS: Microsoft Windows CE 6.0
Memory: System RAM:256 MB



HANDHELD MOBILE COMPUTERS



Honeywell CK65
CPU: 2.2 GHz Qualcomm® 64-bit octa-core
OS: Android 8.0 Oreo
Memory: 2GB/4GB DDR4 RAM, 32GB Flash



Honeywell Scanpal EDA52
CPU: Qualcomm Snapdragon SM6115
OS: Android 11
Memory: MicroSD (up to 128 GB)



Honeywell Dolphin CN80
CPU: 2.2 GHz Qual® Snap. 660 octa-core
OS: Android 7.1
Memory: 3 GB/4 GB RAM, 32 GB Flash



Honeywell Dolphin CT60
CPU: 2.2 GHz Qual® Snap. 660 octa-core
OS: Android 7.1
Memory: 3GB/4GB DDR4 RAM, 32GB Flash

TRANSFORM YOUR STORE
WITH INTELLIGENT SHELF LABELLING



- Perfect for Multi-Branch Retail Chains
- Real-Time Price Updates
- Integration with Retail Systems

**Pegasus
ELECTRONIC SHELF
LABELLING (ESL)
SYSTEM**



DIGITAL MENU BOARDS
FOR RESTAURANTS



- Dynamic, Real-Time Updates
- Easy Centralized Control
- Integrates with POS & Inventory
- Increased Sales (10–30%)
- Consistent Branding
- Fast Ordering & Short Queues





DESKTOP LABEL & RFID PRINTERS



Zebra ZD410/411 Printer
Print Method: Direct Thermal print method
Resolution: 203 dpi/8 dots per mm, 2.2"
Memory: 512 MB Flash; 256 MB SDRAM



Zebra ZD220 Printer
Print Method: Direct thermal and thermal transfer printer,Speed: 4"/102 mm per sec.
Resolution: 203 dpi/8 dots per mm



Zebra ZD421 Printer
Print Method: Thermal Transfer or DT
Resolution: 203 dpi/8 dots per mm
Memory: 512 MB Flash, 256MB SDRAM



Zebra ZD621R RFID Printer
Desktop Thermal Transfer 4-inch Wide RFID
Resolution: 203 dpi/8 dots per mm
Memory: 512 MB Flash, 256MB SDRAM
Print Resolution: 203 dpi (8 dot/mm), 300 dpi (12 dot/mm)



INDUSTRIAL LABEL PRINTERS



Zebra ZD510-HC (Healthcare) Patient ID Solution
Printing: Direct thermal printing of Barcodes, text and graphics,USB, Ethernet



Zebra ZT600 Series Industrial Printer
Print Method : Thermal transfer and direct Thermal printing,Memory: 1GB RAM Memory



Zebra ZT410 Series Industrial Printer
Print Method : Thermal transfer and direct Thermal printing, Memory: 256MB SDRAM



Zebra ZT231 Printer
Print methods: Direct thermal and Thermal transfer Printer, Memory: 256MB Standard
Resolution: 203 dpi/8 dots per mm



CARD PRINTERS



Zebra ZC300 Card Printer
Printing: Dye-sublimation thermal transfer direct to card print method
Full-color or monochrome printing



Evolis Pmacy2
One-or two-sided printing, edge-to-edge 300x300 dpi (dots per inch) for standard color
User-friendly operation:



Evolis Zenius2
One sided printing, edge-to-edge 300x300 dpi (dots per inch) for standard color
User-friendly operation:



Pegasus PCP Series
Printing: Direct to card Dye-sublimation/ Resin thermal transfer, Single or Dual sided Edge to Edge printing, 128MB memory



PEGASUS MOBILE PRINTERS & PRICE CHECKERS



Pegasus ML803 Direct Thermal Mobile Label Printer
Printing: Thermal Line, Speed:70 mm/sec
Resolution: 203dpi(8 dot/mm)



Pegasus PM400 Direct Thermal Mobile Printer
Print Speed: 55mm/Sec, Width: 4*/104mm
Resolution: (8dots/mm203dpi)



Zebra CC600 Customer Concierge Self-Service
Display: 5.0" PCAP multi-touch,1280x720
Android:10, RAM:4GB, Internal:32GB



Pegasus Price Checker PC230
Display: 10.1" HD LED Screen,1280x800
Android: 7.1, Standard 2GB RAM+8GB ROM

PIONEERING LABELING SOLUTION



We are Manufacturer of all Kinds of Labels


Features:

- Food Labels
- Barcode Labels
- Beverage Labels
- Cosmetic Labels
- Coffee & Tea Labels
- Water Bottle Labels
- Pharmaceutical Labels



ORGANIZE YOUR TIME AND MANAGE IT EFFECTIVELY

Mobile Face Attendance Solution



App Features:

- Android Cloud based App
- Capture Live image always
- Face, Finger & Beacon
- Get Live & Geo Fencing Location while on Attendance
- Beacon attendance check out/check in

ZEBRA MOBILE PRINTERS



Zebra ZQ500 Series Mobile Printer

Printing: Direct thermal printing of barcodes, Text and graphics, Print Resolution: 203 dpi



Zebra ZQ600 Series Mobile Printer

Printing: Direct thermal printing of barcodes, text and graphics, Print Resolution: 203dpi/8



Zebra ZQ220 Series Mobile Computer

Printing: Direct thermal printing of barcodes, text and graphics, Print Resolution: 203dpi



Zebra ZQ320 Mobile Printer

Printing Method: Direct Thermal
Resolution: 203 dpi/8 dots mm
Memory: 128MB RAM, 256MB Flash

EPSON RECEIPT PRINTERS



Epson TM-T20III Thermal Receipt Printer

Print Method: Thermal Line
Printing Print Speed: 250 mm/sec



Epson TM-88Vii Thermal Receipt Printer

Print speeds up to 500mm/sec, High speed
Auto cutter, Online Ordering Ready



Epson TM-U220A/B Dot-Matrix Impact Printer

Easy drop-in paper loading two-color black
and red printing Impactful logo printing

NEW



Pegasus PR8001 Thermal Receipt Printer

Printing Method: Thermal Line
300 mm/s – ultra high-speed printing
USB & 100M Ethernet connection



PEGASUS BP-420 BARCODE PRINTER

Overview

Pegasus BP420 is available in both direct thermal and thermal transfer. It contains a powerful 32-bit processor for fast label throughout and 8MB flash memory for increased storage of fonts and graphics.

Features

- 300 meters ribbon capacity
- Head-up sensor and platen replacement
- Dual-motor gear driver design
- Free bundled Labeling software and windows drivers.

NEW



BIOMETRIC TERMINALS

NEW



Pegasus FFP321 Attendance Terminal

Face 6,000, FingerPrint 6,000, Palm 6,000
Display: 5" Touch Screen



Pegasus FFC-112 Facial and Finger TA & Access Control

Face Capacity: 3000 (1:N) Fingerprint: 5000
Display: 4.3" TFT touch Screen



OPTIMIZE YOUR TIME
DON'T MANAGE IT



Cloud Time & Attendance Solution Overview:

TimeMan is a web based, Reliable, Fast & Easy to use attendance Solution. This Solution is designed for core retail, restaurant and government operations. It is flexible to use and can easily be set up to support a broad variety of attendance concepts and workflow.

A SIMPLE VAT/GST ENABLED BILLING
POS SYSTEM FOR ALL YOUR NEEDS



Phomello Cloud
Restaurant



Features



Supported Industries



FAST SELF CHECKOUT
FOR RESTAURANTS
AND RETAILS SHOPS



- Serve More Guests Without Adding Staff
- Instant Checkout. Endless Convenience
- Your Menu, Their Control



Pegasus RFID Solutions





RFID Asset Tracking



RFID Document Management



Jewellery Label RFID Solution



RFID Warehousing Solution

Save Your Time & Grow Your Business

RFID has several components:

There are 3 primary components to a RFID tag:

- The Antenna to transmit data
- The RFID chip for storing data
- The Label to attach the tag to an object



Pegasus SC-311 Retail Self Service Kiosk

Features:

- Touch Screen: Projected Capacitive Touch
- Printer: 80mm Thermal Printer w/Auto Cutter
- Stand: Standing Pole (Tray Table Supported), Desktop Shelf, Wall Mounting Vesa, Stainless Steel Cabinet (Security Scale Supported, 60KG, 1/3000 FS)


















Pegasus Kuwait



Pegasus Dubai



Pegasus India

Contact Us:

Europe, Middle East & Africa:



Kuwait:
Pegasus International Computer Co.
Ahmed Al Jaber street, Al Madina tower,
3rd floor Kuwait city P.O.Box: 12459 Shamiya
Tel : +965 2247 9255, Mob: +965 995 343 88



Dubai
POS Scan Computer Trading
Khalid Bin Waleed Road, Mohammed Noor
Taleb Building, 6th Floor, Office 606, Bur Dubai
P.O.Box: 90701, Dubai
Tel: +971 4 3266366,
Mobile: +971 558838749, +971 508447624
Email: mkt@PosGulf.com

Asia and the Pacific:



India
Pegasus Turnkey Solution Pvt. Ltd.
MIKADO School Street, Near Maryada Heights, Meera Nagar,
Shobhagpura, Udaipur-313004,
Rajasthan, India.
Mobile: + 91 9413138675
Email: mkt@PegasusTech.net

mkt@PegasusTech.net

Specifications subject to change without notice.© 2025 Pegasus

Please recycle after use

Pegasus-Catalogue-2025 | Nee| 11 Dec 2025